

The Role of Voice Interfaces in Modern Web Design: Analyzing Heyeve.ai's AI Chatbot Assistant Conversational Approach

Rana Muhammad Faheem Younas (Corresponding Author)

Faculty of Computer Science & IT, Superior University, Lahore, 54000, Pakistan.

Email: mrfahemrajpoot@gmail.com

Nasir Ayub

Deputy Head of Engineering Calrom Limited, M16EG, United Kingdom

Email: nasir.ayyub@hotmail.com

Chaudary Umair Mehmood

Edge Hill University, Ormskirk L39 4QP, United Kingdom

Email: umairmehmood.pk@gmail.com

Hamayun Khan

Department of Computer Science, Faculty of Computer Science & IT Superior,

University Lahore, 54000, Pakistan Email: hamayun.khan@superior.edu.pk

Syed Muhammad Rizwan

Department of Computer Engineering, University of Engineering and Technology

Lahore, Pakistan Email: rizwan.naqvi@ieee.org

Osama Imran

School of Electrical Engineering and Computer Sciences, NUST, Islamabad, National University of Science and Technology (NUST)

Email: oimran.mscs25seecs@seecs.edu.pk

Majid Ali

Innova Network, 184 C, Airline Society, Lahore, 54000, Pakistan

Email: majidq67@gmail.com

ABSTRACT

Modern web design has moved beyond static pages, visual layouts, and form-based interaction. Users now expect websites to understand questions, respond quickly, support accessibility needs, and guide them through services with less effort. Voice-enabled web design supports this shift by allowing users to speak naturally, receive immediate guidance, and complete tasks without relying only on typing, clicking, or long page navigation. This systematic literature review examines voice interfaces, conversational web systems, customer-support chatbots, accessibility standards, trust requirements, and legal-service use cases. It uses Heyeve.ai as a contextual case to study how a voice-enabled assistant can support website navigation, client communication, legal training, mock trial practice, and

professional consultation flows. The review shows that hybrid voice-enabled interfaces can reduce interaction effort, improve access for users with visual or motor barriers, increase engagement, and provide a clearer first layer of guidance before human professional involvement. The paper also introduces a research-driven evaluation framework based on eight dimensions: conversational quality, usability, trustworthiness, accessibility, user engagement, responsiveness, contextual awareness, and multimodal integration. The comparative evaluation indicates that a hybrid voice-enabled model performs more strongly than traditional web, chatbot-only, and voice-only interfaces because it combines speech, text, visual content, and guided actions in one user experience. For legal and professional platforms, the paper recommends clear ethical boundaries, privacy safeguards, transparent system disclosure, human oversight, accessibility testing, and continuous evaluation. The results also show, however, that there are still some challenging areas to be addressed such as the accuracy of PAL to use in noisy environments, the privacy issues of voice data collection, and the need for more complicated error recovery. It offers a theoretical perspective with the proposed framework to evaluate any website that depreciates Voice technology and practical recommendations for any web designers and developers that want to incorporate voice interface.

Keywords: *voice-enabled web design, AI voice assistant, conversational interface, legal voice assistant, Heyeve.ai, web accessibility, user experience, legal chatbot, customer support automation, voice user interface*

1. Introduction

Web interaction has changed significantly over the last two decades. Early websites mainly displayed information through static pages, links, and menu structures. Later, websites became more interactive by adding forms, search bars, live chat, dashboards, and dynamic content. Even with these improvements, the main interaction pattern remained heavily text-based and screen-dependent. Users were expected to read, click, type, and search until they found the right information [1], [2]. This traditional model does not fully match the way people communicate in daily life. People naturally ask questions, explain problems in their own words, and expect a direct response. Voice-enabled web design brings this natural communication pattern into websites. Instead of forcing users to adapt to a site structure, a voice assistant allows the site to adapt to the user intent. This shift is especially important for mobile users, elderly users, people with disabilities, busy professionals, and users dealing with complex topics such as legal services, healthcare, education, and customer support [3], [4]. Heyeve.ai is positioned in this study as a practical example of this wider movement. It represents a voice-enabled assistant model that can support website navigation, legal learning, consultation preparation, and mock trial practice. In this context, the assistant is not treated as a replacement for licensed professionals. It is treated as a first layer of guidance, education, triage, and structured communication within clearly defined ethical and professional limits. The voice interfaces are the logical continuation of the interactions with the Web since they are consistent with human communication in everyday life. Speaking is more productive than typing, less effort is needed, and it is more intuitive, particularly in the case of short queries or goal-focused work. Long queries or using complicated menus make the process of interacting with websites tedious, hence this discourages many users (especially those who use mobile

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

devices) with these (resulting in a lack of engagement and dissatisfaction)[5].

Heyeve.ai can be regarded as a convenient example of how conversational AI can be included in the current web platforms. It enables its users to communicate with websites in a natural language, including voice recognition, or do it through text and get step-by-step instructions to suit their requirements. In the working scenarios, especially in legal services and training situations, Heyeve.ai can explain how voice interaction can help in clarity, learning, and confidence, but in an ethical manner [6], [8]. Voice interfaces have also transformed the user and digital relationships of trust, too. Proper listening by a system and responding fittingly makes the system be seen to recognize and respect the user. This reliability is needed in sensitive areas where users do not need to be provided with information but guidance. Places of conversation with the ability to communicate in a clear and responsible manner have more chances to be perceived as trustworthy and convenient. The research paper aims at examining how voice interfaces can be implemented in the current web design based on a review of available literature, with Heyeve.ai presented as a contextual benchmark. It aims to comprehend how conversational AI changes the user experience, their accessibility, and the attitude to the online interaction of professionals, and how these systems will be involved in a larger development of web design [12].

AI Voice Assistant

An Artificial Intelligence Voice Assistant is a smart communicative platform that allows people to use voice as the means of inputting data into digital sources instead of standard typewriters. It is an AI integrated with speech technologies that allow it to hear the requests of users, analyze their intent, and respond in a natural, human kind of way. As opposed to traditional interface-based graphical interfaces, which are menu-based and form-based, an AI Voice Assistant is more of a conversational interface between the user and the system. It turns a website into a dynamic source of information and makes a communication partner [14]. The latter works with the voice assistants that can be directly embedded in the browsers or apps in modern web settings and allow users to pose questions, command actions, and obtain instant verbal or written responses.

Table 1: Impact of Voice Interaction on Web Design

Aspect	Traditional Web Design	Voice Enabled Web Design
User Input	Typing and clicks	Speaking and listening
Speed of Interaction	Medium	High
Accessibility	Limited	Strong
User Engagement	Moderate	High
Trust Building	Slow	Fast

This transformation clearly shows that web design is no longer silent. It is now interactive, intelligent, and human centered. The role of voice interfaces will continue to grow as people rely more on quick communication instead of long reading.

The digital world has entered a new phase where interaction is no longer limited to screens and keyboards. Today, people want faster, easier, and more natural ways to communicate with websites. This demand has given rise to voice based interaction in web design. Instead of typing, users can now speak and receive instant responses. This shift has changed how modern websites are built, experienced, and trusted by users [17].

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

1.1 Research Aim and Objectives

The aim of this review is to analyze how voice-enabled interfaces are reshaping modern web design, with special attention to user experience, accessibility, trust, legal communication, and professional service delivery. The paper also evaluates Heyeve.ai as a contextual case for hybrid voice-enabled web interaction [21].

1. To examine the role of voice interfaces in modern web design and their effect on user experience.
2. To analyze how voice assistants influence website navigation, task completion, accessibility, and engagement.
3. To study how conversational assistants can support professional and legal platforms without replacing expert judgment.
4. To identify ethical, accessibility, privacy, and governance policies required for responsible use in legal-service contexts.
5. To propose an evaluation framework for comparing traditional, chatbot-only, voice-only, and hybrid voice-enabled interfaces.
6. To position Heyeve.ai as a practical case of voice-enabled legal training, consultation guidance, and customer-support interaction.

1.3 Research Questions

RQ1. How does Heyeve.ai's voice-enabled web design improve user interaction, accessibility, trust, engagement, and task completion in modern web platforms?

RQ2. Which evaluation dimensions and policy safeguards are required to assess Heyeve.ai as a hybrid voice-enabled assistant for legal and professional-service environments while maintaining ethical and legal boundaries?

Voice-Enabled Web Interaction Workflow




Figure 1. Voice-enabled web interaction workflow.

2. Background and Evolution of Web Interaction

The background of voice-enabled web design can be understood as a movement from static information delivery to active digital conversation. In the first stage, websites displayed fixed content and required users to browse independently. In the second stage, interactive web tools such as search, forms, chat boxes, and user accounts improved access but still required manual effort. In the current stage, websites increasingly behave like service channels that can listen, respond, guide, and complete tasks [24], [25].

Mobile computing strengthened this change. Small screens touch keyboards, and multitasking behavior made typing and deep navigation less convenient. Voice interaction became valuable because it lets users ask questions directly, receive faster answers, and perform tasks with lower physical and cognitive effort. Research on voice user experience also shows the need for better measurement standards, because voice systems must be evaluated for usability, trust, response quality, and context handling rather than speed alone [29].

Evolution of Web Interaction Toward Voice-Enabled Platforms




Figure 2. Evolution of web interaction toward voice-enabled platforms.

Table 1. Traditional Web Design Compared with Voice-Enabled Web Design

Aspect	Traditional Web Design	Voice-Enabled Web Design
Main input	Typing, clicking, tapping, scrolling	Speaking, listening, optional text input
User effort	Higher effort because users search manually	Lower effort because users ask direct questions
Accessibility	Often limited for users with visual, motor, or reading barriers	Stronger support through speech, audio output, and multimodal options
Engagement	Depends on content layout and navigation clarity	Improves through guided, conversational interaction
Trust building	Depends mainly on written content and brand signals	Can improve when responses are clear, transparent, and consistent
Best use case	Static information, articles, forms, product pages	Support, booking, consultation guidance, training, and task completion

2.1 What is a Voice Assistant?

A voice assistant is a conversational digital system that accepts spoken input, identifies user intent, retrieves relevant information, and provides a spoken or written response. In web design, it may be embedded directly into a website, connected to site content, linked with customer-support workflows, or used as part of a training platform. A complete voice assistant normally includes speech recognition, language understanding, response generation, text-to-speech output, action handling, and conversation memory [33], [34].

Speech-to-text converts user voice into machine-readable text.

Language understanding identifies the meaning, intent, and context of the request.

Knowledge retrieval connects the request with website pages, legal resources, service information, or support data.

Response generation prepares a clear answer or next action.

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Text-to-speech provides the response in a natural voice when needed.

Context memory keeps the conversation connected across follow-up questions.

2.2 Why Voice Interaction Matters in Professional Platforms

Professional services are high-trust environments. Users are often dealing with sensitive information, complex terms, personal stress, and important decisions. Legal, healthcare, education, and finance websites therefore require more than simple navigation. They need clarity, reassurance, privacy, and responsible guidance. A conversational assistant can help by breaking complex information into manageable steps, asking clarifying questions, and directing the user toward the right professional channel [42]. At the same time, professional platforms must avoid overclaiming. A voice assistant should not present itself as a final authority in legal or medical matters. In legal use cases, it should explain general information, collect preliminary details, prepare users for consultation, and recommend licensed professional review when the matter requires expert judgment. User behavior research indicates that users like to use voice interaction to perform fast tasks, to get information, and also be guided. Voice enables users to be direct in their intent and not to decode intent into search terms or through navigation pathways. This change of browsing into asking is fundamental in the way users go about digital platforms. As far as accessibility is concerned, voice interfaces would overcome age-old challenges encountered by visually impaired or motor-impaired, or reading-challenged users. These users were normally locked out of traditional web design, which was more traditional with a strong focus on text and other visual indicators. Voice interaction assists in offering an alternative where access to information and services is equal [49]. Heyeve.ai exists in this developed cyberspace. It represents the shift in the interaction of a fixed web to the communication aspect with the users by providing a voice-activated assistant that helps them navigate the information and processes. Instead of users having to adjust to the structure of the websites, the system adjusts to the intention of the user. And it is upon this background that the reasons behind the emergence of voice interfaces as the primary focus of the current web design world and the place of conversational AI platforms like Heyeve.ai will take on greater meaning as an important advancement in user-centered digital interaction [52].

Table 2: The Evolution of Web Interaction

Phase	User Interaction Style	User Effort	Response Speed
Early Web	Clicking and reading	High	Slow
Interactive Web	Forms and chat boxes	Medium	Medium
Voice Based Web	Speaking and listening	Low	High

As shown in the table, user effort decreased while response speed increased. This clearly explains why voice interaction became dominant in modern web platforms.

The background of conversational assistants also connects with user psychology. Speaking feels more natural than typing. Humans have communicated by speaking for thousands of

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

years. When a website allows spoken interaction, it feels closer to real human communication. This increases comfort and emotional connection.

This emotional element plays a strong role in legal platforms like Heyeve.ai. When users talk instead of typing, they feel less pressure. They feel heard. This reduces hesitation and builds confidence in sharing sensitive issues [55].

Heyeve.ai Chatbot/Voice assistant filled this gap successfully. They provide **first level filtering before human interaction**.

Heyeve.ai functions in this digital legal front desk background.

How Voice Interaction Changes the Web Experience

Voice changes how people use a site:

1. From browsing to asking.
Instead of hunting through menus, users ask direct questions:
“What’s your refund policy?” “Show me enterprise pricing.” “Do you have weekend support?”
The assistant answers immediately and can surface the exact clause, page, or contact option that matters.
2. From reading to listening.
Some visitors prefer to hear a short summary instead of reading a long page (or they cannot read easily). Text-to-speech makes this instant and accessible.
3. From passive pages to active tasks.
A site becomes a service. The assistant does things for the user: booking, emailing, filing, routing, initiating calls, logging tickets, generating summaries, and more.
4. From one-size-fits-all to personalized guidance.
With consent and proper settings, the assistant can remember preferences—like time zone, product tier, or past questions—and offer smarter follow-ups.
5. From frustration to flow.
The distance between a user’s intent and a result becomes shorter. This reduces abandonment, raises satisfaction, and improves conversion [57].




Figure 3: User & Chatbot Conversational Workflow

2.5 Accessibility and Inclusivity in Web Development

Voice interfaces are not just convenient; they are key to inclusive design.

- For visually impaired users, voice input and spoken output can transform a difficult site into a usable one.
- For elderly users or people with limited dexterity, speaking is easier than typing or navigating tiny controls.
- For busy professionals, hands-free interaction allows them to get answers and complete tasks while doing something else (commuting, cooking, on a workbench).

These capabilities align with modern accessibility guidance such as WCAG 2.1 [60], which encourages multimodal interaction and perceivable alternatives to text. With voice, organizations do more than check a box; they create experiences that feel welcoming to a wider audience.

Year Innovation / Milestone

- | | |
|------|--|
| 2003 | <i>Jasper Speech Platform</i> introduced by Sun Microsystems, an early enterprise-level voice interface framework. |
| 2008 | Google launches <i>Voice Search</i> for mobile devices, enabling users to search the web hands-free. |
| 2011 | Apple Siri released, first large-scale consumer voice assistant integrated into smartphones. |
| 2012 | Google expands <i>Google Now</i> , offering predictive voice responses based on user behavior. |
| 2014 | Amazon Alexa with Echo smart speaker launches, introducing voice-driven smart home |

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

- control.
- 2016 **Google Assistant** debuts, offering conversational capabilities and integration across Google services.
 - 2018 Google Duplex showcases AI making phone calls that sound human, highlighting realistic voice synthesis.
 - 2019 Facebook's *M* AI assistant phased out, marking a shift toward domain-specific assistants over general-purpose ones.
 - 2020 **NLP 2.0** adoption in web and enterprise systems, improving contextual accuracy in chatbot responses.
 - 2021 Microsoft acquires Nuance Communications, signaling increased focus on voice tech in healthcare and enterprise.
 - 2023 Generative AI models like GPT-4 introduce advanced conversational reasoning for domain-specific assistants.
 - 2024 Widespread integration of **web-native voice UX** in business and education platforms.
 - 2025 **Heyeve.ai** expands dual-version model—Version 1 as a web-embedded voice chatbot for site navigation, Version 2 as a real-time AI platform for legal training and mock trials.

This part is a systematic and analytical summary of the literature available concerning voice interfaces, conversational artificial intelligence, and their use in hybrid web design. This review aims to identify the previous academic and practical research, pinpoint some general results and shortcomings, and define how Heyeve.ai fits into this research. The review deals with those articles that are concerned with user experience, accessibility, conversational engagement, professional digital platforms, and immersive training surroundings. Discussion is made per study or system to ensure that there is clarity and systematics in coverage.

2.6 Comparative Table of Existing Studies on Chatbot/Voice Interfaces

This table summarizes significant studies and platforms in the field of voice interfaces and their role in web design. Each entry includes the technology used, the focus area, and the impact on web design:

Platform	Technology	Focus	Key Findings	Impact on Web Design
Amazon Alexa (2014) [22]	Voice Assistant (AI)	Smart home, e-commerce, mobile apps	Revolutionized voice interaction in everyday tasks.	Introduced voice-commerce , influencing e-commerce web design .
Google Assistant(2016) [23]	Voice Assistant (AI)	Voice search, mobile apps, voice search	Improved voice search accuracy and contextual understanding.	Boosted voice search optimization in websites.
Apple Siri (2011) [24]	Voice Assistant (AI)	Personal assistant, mobile apps, IOT	Facilitated hands-free interactions and set standards for	Influenced mobile-first design for voice interactions.

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Microsoft Cortana (2014) [25]	Voice Assistant (AI)	Search, productivity apps, cross-platform support	voice technology. Enhanced voice interactions for office environments. Created conversational agents for complex business interactions. Focused on voice-first interactions for mobile websites . Demonstrated real-time voice conversations for booking services. Highly accurate speech recognition and natural interaction. Enhanced voice control and personalized user experiences.	Integrated voice assistants in enterprise websites . Led to AI-powered customer service interfaces in websites. Introduced voice-based mobile navigation in websites. Revolutionized conversational interfaces in booking systems. Elevated speech-to-text interfaces for specialized websites . Aimed at making web navigation more natural for specialized sectors.
IBM Watson Assistant (2019) [26]	AI-driven assistant	Business, healthcare, customer service		
Samsung Bixby (2017) [27]	Voice Assistant (AI)	E-commerce, mobile apps, home devices		
Google Duplex (2018) [28]	Voice Assistant (AI)	Real-time AI interaction, phone-based services		
Nuance Dragon (2020) [29]	Voice-to-text AI	Healthcare, customer service		
Sirius (2021) [30]	Voice Assistant (AI)	Smart home, healthcare, mobile apps		
Heyeve.ai AI Voice Assistant [31]	AI-powered Chatbot/Voice Assistant	Modern web Interface like customer support agent. Nish Oriented Consultation(Legal Industry).	Improved voice-based consultations for professional services.	Focused on legal platforms , improving voice-enabled web design .

2.7 Heyeve.ai Voice Chatbot Assistant

- **Technology:** AI-powered Chatbot/Voice Assistant
- **Focus:** Customer Support/Agent in Modern Web Design, Multi nish support specially Lawyers &Legal Consultation domain.

Heyeve.ai Version 1:

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Heyeve.ai Version 1 is designed mainly for legal training and professional consultation. It focuses on helping lawyers, law students, and legal professionals improve how they communicate in real courtroom situations. This version uses a VR-powered AI voice assistant that allows users to practice mock trials and interview scenarios in an interactive environment. Instead of reading theory, users can speak, respond, and receive instant feedback on their tone, clarity, confidence, and overall delivery. The AI works like a smart legal support assistant on a website, making complex legal discussions easier to understand and helping users feel more prepared and confident in high-pressure legal settings.

Heyeve.ai Version 2:

Heyeve.ai Version 2 is built as a flexible AI customer support chatbot for modern websites across all industries. It is not limited to legal use cases and can support e-commerce, healthcare, service-based platforms, and general customer support websites. This version focuses on answering user questions, guiding visitors, and improving customer experience through natural voice and chat interaction. Acting as a virtual support agent, it helps businesses provide quick, accurate, and consistent responses while reducing manual workload. This version highlights how AI voice assistants can enhance user interaction and customer service in today's web design era.

Heyeve.ai's Role in Accessibility

- **Version 1** of Heyeve.ai simplifies website navigation & customer support journey in modern web design for all users as you can see in below image.
- **Version 2** extends inclusivity to legal education, allowing aspiring professionals with disabilities to participate in VR powered AI Mock trials interviews for lawyers in tech Legal industry using voice commands—ensuring that even complex professional training is accessible.




Figure 4: A Result “SS” Role of Heyeve.ai As an AI Voice Assistant & Customer Support in Modern Web ERA in Client Website of Euphoria XR

3. Systematic Literature Review Methodology

This study follows a qualitative systematic literature review approach. The purpose is not to count every available paper in the field. Instead, the review organizes relevant academic studies, standards, industry examples, and professional policy documents into a structured body of evidence. The review focuses on voice user interfaces, conversational web design, customer-support assistants, accessibility, trust, legal question-answering, and Heyeve.ai as a contextual case.

The original draft included a wide range of platform comparisons, proposed evaluation dimensions, interface scoring, and reference material. This revised version preserves the core theme but uses references only where they naturally support a specific claim, framework, or case detail. This avoids unnecessary citation placement and keeps the discussion readable and research-focused.

Table 2. Review Protocol and Evidence Selection Logic

Review Element	Applied Approach
Topic focus	Voice-enabled web design, conversational assistants, legal-service interfaces, accessibility, and user experience
Evidence type	Peer-reviewed studies, technical specifications, accessibility standards, platform documentation, and directly relevant web sources
Inclusion criteria	Sources related to voice UX, web accessibility, conversational systems, trust, customer support, legal assistance, or Heyeve.ai
Exclusion criteria	Unrelated automation tools, unsupported marketing claims, duplicates, and sources without relevance to web or legal-service interaction
Analysis method	Thematic synthesis, comparative platform review, and eight-dimensional evaluation framework
Output	Literature synthesis, Heyeve.ai case analysis, evaluation tables, responsible-use guidance, limitations, and future research directions

3.1 Review Themes

User experience and task completion in voice-enabled websites.

Accessibility and inclusive design for people with visual, motor, cognitive, or literacy-related barriers.

Trust, transparency, and user confidence in conversational interfaces.

Voice interaction in customer support and service delivery.

Legal voice assistants for consultation preparation, learning, and mock trial training.

Ethical and policy requirements for responsible deployment.

Evaluation Framework

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

The proposed evaluation model is based on eight dimensions that appear repeatedly across usability research, accessibility guidance, voice UX research, chatbot quality studies, and professional-service guidance. These dimensions are used to compare interface types and evaluate Heyeve.ai as a hybrid voice-enabled model.




Figure 3.1. Eight-dimensional evaluation framework for voice-enabled web interfaces.

Table 3. Evaluation Dimensions and Practical Scoring Basis

Dimension	Meaning	Practical Indicators
Conversational quality	How well the system understands and responds to natural user language	Intent recognition, response clarity, follow-up handling, tone
Usability	How easy the system is to use and integrate into a website	Ease of access, simple commands, visible controls, low learning effort
Trustworthiness	How clearly the system communicates limits, privacy rules, and reliability	Disclosure, confidence boundaries, human escalation, data handling clarity
Accessibility	How well the interface supports users with diverse abilities and needs	Voice input, text alternatives, captions, keyboard access, WCAG alignment
User engagement	How well the system keeps users involved and helps them continue the task	Personalized guidance, reduced abandonment, meaningful interaction flow
Responsiveness	How quickly the system acknowledges and answers user requests	Low latency, immediate feedback, status messages
Contextual awareness	How well the assistant uses website content and	Site-specific answers, memory of previous turns, context-safe responses

Multimodal integration	conversation history How well speech, text, visual content, and actions work together	Voice plus text, screen guidance, fallback options, action buttons
------------------------	--	--

Proposed Model

The proposed model will have an analytical form with the placement of “Heyeve.ai” in a comparative aspect of various types of Web interfaces. As it pertains to the model, we have four distinct flavor variants, traditional GUI approach – it is web interface without conversational functionality, chatbot approach – a text based approach, voice only approach – voice input/output and hybrid approach – web interface with the ability to utilize a voice assistant in a more integrated manner.

Fig. 3.2: Block Diagram of Proposed Evaluation Model




Fig. 3.2. Block Diagram of Proposed Evaluation Model

This block diagram illustrates the structural relationship among model components, showing inputs, evaluation dimensions, analysis processes, and outputs.

Block Diagram of Proposed Evaluation Model (repeated at the end of this subsection for continuity) Second appearance of the block diagram should be used where they are necessary in the text. The block diagram (refer to Fig. 3.2) can be divided into four steps, namely, Input layer (assistant documentations, feature sets, literature benchmarks), Processing Layer (dimensional mapping, scoring, normalization), Analysis Layer (comparative positioning, strength/weakness identification) and

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Output Layer (dimensional scores, comparative findings, recommendations). The salient analysis points of the model are: a) Dimensional independence can be used to assess some particular aspects of quality; b) No threshold values and no arbitrary judgements and based on standards derived from literature; c) The appositional positioning of the model to several archetypical interfaces; and d) The structured identification of strengths and weakness points of the model with respect to each dimension. The disadvantages to the model are that it needs to be based on documentation (that may be incomplete and/or promotional), and there is a lack of primary user's data to verify the validity of the model (the assessment is static it won't take account of the fact that system capability has changed).

3.2.1 Implementation of Proposed Model / Technique

The online copy of the project includes implementation of Proposed Model / Technique 3.1.2.

The methodology for implementing the proposed analysis model for Heyeve.ai consists of three steps: **data collection, dimensional scoring and comparative positioning.**

Data Collection: Data on Heyeve.ai's features, functions, performance data, etc., is collected from open sources on the Internet, including Heyeve.ai sites, users' description of the service and users' reviews. For systems where no data on performance is available, conclusions are made about the performance based upon written feature sets and platform statements, is triangulated with academic research on similar systems.

Dimensional Scoring: Each one of the eight dimensions of evaluation is scored on a range of 1-5 (Very Poor-1, Fair-2, Fairly Good-3, Good-4 and Excellent-5) for the evidence provided. Each dimension's rubrics of scoring is based on the literature related to the dimension.

Table 3.2.2: Summary of Analytical Dimensions for Heyeve.ai Assessment

The Table below summarizes the analytical dimensions that were included in the Heyeve.ai Assessment.

Dimension	Assessment Source	Scoring Basis
Conversational Quality	Platform documentation, user reviews	Natural language understanding, response coherence
Usability	Feature analysis, comparative benchmarking	Ease of integration, user control

Trustworthiness	Privacy disclosures, transparency features	Data handling, accuracy claims
Accessibility	Multilingual support, WCAG	Language coverage, alternative inputs claims
User Engagement	Feature analysis, retention indicators	Personalization, interaction depth
Responsiveness	Real-time claims, latency documentation	Response speed, acknowledgment design
Contextual Awareness	Memory features, personalization	Conversation memory, user adaptation
Multimodal Integration	Input/output options	Voice-text coordination, modality switching

Comparative Positioning: The scores that have been determined with the software of Heyeve.ai are compared to the scores of the conventional Web interface (based on literature) and of the optimal hybrid, voice enabled interface (based on best practice).

Fig. 3.3 Heyeve.ai Architectural Integration Conceptual Diagram




Fig. 3.3. Heyeve.ai Architectural Integration Conceptual Diagram

This diagram illustrates the conceptual architecture of Heyeve.ai integration with web platforms, showing the relationship between website content, the AI assistant, and user interaction channels.

Full evaluation process begins at the stage of the beginning assessment, and then

continues with the dimensional analysis/comparative positioning.

Fig. 3.4: Flowchart of Voice Interaction Evaluation Process




Fig. 3.4. Flowchart of Voice Interaction Evaluation Process

The evaluation process depicted in Fig. 3.4 consists of six main stages: 1) Feature and capability identification from available documentation; 2) Mapping of identified features to evaluation dimensions; 3) Dimensional scoring using literature-derived rubrics; 4) Comparative analysis against traditional and ideal benchmarks; 5) Strength and limitation identification; and 6) Synthesis into findings and recommendations.

3.5 Proposed Algorithm

An algorithmically representation of the evaluation process is presented here for clarity and to be reproducible, but it is not actually executed, it is the one used in this thesis.

text

An Alg. with this name was found to be nonexistent. There is no algorithm for Voice-Enabled Web Assistant Evaluation.

Input/output: lit. L', doc. D', feature F'

Dimensional scores: S[1..8]

1. Initialize score array $S[1..8] = 0$
2. For each dimension d in 1..8:
 - >[1] TRUE 4. Misja -> M_2019667_line20, MPZ Uslicsa: Find some comments c_c subset of F
 - >[1] TRUE
4. For each feature f in F_d :
7. Use tools and materials from literature L to portray benchmarks on support benchmarks

6. Score $s_f = \text{evaluate\_feature\_quality}(f, b_f)$
7. Accumulate $S[d] += \text{weight}(f) * s_f$
8. Normalize $S[d]$ to 1-5 scale
9. For each of the following types of interfaces, t (traditional, chatbot, voice and hybrid)
For the benchmark scores $B[t]1, \dots, B[t]8$ we refer to literature.
11. Calculate difference $D[t] = \sqrt{\sum (S[i] - B[t][i])^2}$
12. Compute 'arg of the minimum value' at $D[t]$ and find ' t_best ' – smallest value of t (arg of the minimum) where the minimum value is attained.
13. Return $S[1..8]$, t_best , $D[t]$

This algorithmic representation is therefore a systematic and reproducible way of representation on how to evaluate, which avoids the “ad hoc” and purely subjective evaluation methods.

4: Results and Evaluation/Evidence Synthesis

4.1 Comparative Bar Chart: Evaluation Scores Across Interface Types

Voice user interface research emphasizes that spoken interaction is different from visual interaction. In visual interfaces, users can scan menus, compare options, and revisit text. In voice interfaces, users depend more on turn-taking, memory, clarity, and response timing. For this reason, voice design must be conversational, brief, recoverable, and context-aware. The system should confirm important actions, offer simple choices, and provide text alternatives when voice alone is not enough.




Fig. 4.1. Comparative Bar Chart: Evaluation Scores Across Interface Types

From the comparative study, it is seen that, there are various noteworthy findings.

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Familiar traditional web interfaces have been optimized over the decades for usability (4.5) and responsiveness (4.5), but do not score well on levels of accessibility (2.0), contextual awareness (2.5) and conversational quality (1.0). Chatbot-only interface offers moderate conversational abilities, but hurt by slower interaction (type required) and make-up individuals cannot type. The Voice-only interfaces score high with respect to the accessibility measures (4.5) and have usability problems in public places, but also lack multimodal redundancies.

4.2 Presentation of Results

Through the proposed framework, the results of each dimensional score and supporting evidence, with focus on Heyeve.ai, are obtained.

Table 4.2. Heyeve.ai Performance Scores Across Evaluation Dimensions

Dimension	Score (1-5)	Supporting Evidence
Conversational Quality	4.0	Natural conversation design, multilingual support
Usability	4.0	Easy integration, intuitive interaction
Trustworthiness	3.5	Transparency about AI nature, data practices
Accessibility	4.5	40+ languages, hands-free operation
User Engagement	4.0	Personalized responses, conversational memory
Responsiveness	4.0	Real-time insights, immediate feedback
Contextual Awareness	4.0	Website content training, user context
Multimodal Integration	4.5	Voice + optional text, flexible modalities

Conversational Quality (4.0): Heyeve.ai exhibits solid conversational competencies, comprehending the user's needs and allowing for rapid information retrieval. It features a smart conversation feature in more than 40 different languages, revealing its advanced NLP abilities. But further research is needed into the question of the remembering of conversations and the maintaining of contexts throughout longer dialogues.

Usability (4.0): Facilitates the easy integration of the website, making the website faster, smarter and more user friendly. Hands-free navigation takes out some of the hurdles of interacting with the site but can also have learning curves if website administrators are not familiar with the initial setup and configuration.

Trustworthiness (3.5): Heyeve.ai is transparent about its AI-powered nature. Documentation on data handling practices, methods to ensure privacy protection and

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

guarantees of accuracy, however, is scarce and only available in a public way. The level of trust users are supposed to have in the system, and how they are supposed to know when to, and when to check, are not specified.

Accessibility (4.5): Heyeve.ai brags about accessibility, which includes hands-free navigation for individuals with motor handicaps and 40+ languages to satisfy the different needs of its user base. The Voice First approach is a huge help when it comes to making it easier for people with visual impairment. It cannot be completely described, however, how well this system can be adapted for screen readers and other assistive technologies for users that prefer or require textual interaction with the system.

User Engagement (4.0): Heyeve.ai's ability to engage with visitors and understand their needs can help enhance user satisfaction and decrease user churn. Keeping context of conversation helps for more meaningful engagement in and across multiple conversations.

Real-time insights and responses (4.0): Heyeve.ai offers responsiveness, reducing users' wait times. But the system is designed so that the information will be retrievable quickly, since one of the main things which users expect when they are using a voice interface is an efficient system to find information.

Contents of the current Web page (4.0): The system reads online information and acquires knowledge that enables it to provide answers in natural conversation. It's a content-aware design that supports contextually appropriate responses that are based on the information architecture of the specific website.

Multimodal Integration (4.5): Heyeve.ai works on both voice and text on the user's choice to integrate in its multimodal. This cross-modal flexibility is a major asset and can meet demands for various modalities due to preferences and usage restrictions.

Fig. 4.2: Radar Chart of Multi-Dimensional Evaluation for Heyeve.ai



Fig. 4.2. Radar Chart of Multi-Dimensional Evaluation for Heyeve.ai

This radar chart displays the performance of Heyeve.ai on all eight evaluation dimensions with special attention to the dimensions of accessibility and multimodal integration.

4.3 User Experience and Engagement

Voice interaction can improve user experience by reducing the distance between user intent and task completion. Service research on voice bots shows that voice-based interfaces can create smoother, more flow-like service experiences and improve service outcomes when the interaction is designed well. Chatbot research also shows that conversational agents can influence user compliance and service behavior, especially when the system communicates clearly and appropriately.

However, strong user experience is not automatic. Users may lose confidence when systems misunderstand accents, fail to answer follow-up questions, produce unclear responses, or hide their limitations. For this reason, voice-enabled websites need measurable evaluation methods, including usability testing, response-quality review, accessibility testing, and user trust assessment.

4.4 Trust, Transparency, and Legal Sensitivity

Trust is central in professional-service platforms. Users must understand what the assistant can do, what it cannot do, how their information is handled, and when they should speak to a qualified professional. Legal-access research also shows that conversational systems must be transparent about limits, accuracy, and the need for professional review in sensitive legal matters.

In legal-service settings, this means the assistant should avoid final verdicts, guaranteed outcomes, or claims that could be mistaken for licensed legal advice. It should provide general guidance, support preparation, explain possible next steps, and direct the user toward human professional review when needed.

4.5 Comparative Review of Major Voice and Conversational Platforms

Table 4. Existing Platform Comparison and Web Design Relevance

Platform	Main Focus	Contribution to Voice Interaction	Web Design Relevance
Apple Siri	Mobile personal assistant	Normalized voice-first actions on smartphones	Influenced mobile-first voice navigation and hands-free access
Amazon Alexa	Smart home and commerce	Expanded voice interaction into daily tasks and shopping	Supported the idea of voice search and voice commerce
Google Assistant	Search and contextual	Improved context-aware voice search across	Raised expectations for natural search and quick

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

IBM Watson Assistant	assistance Enterprise and customer support	devices Advanced conversational support for business workflows	answers Influenced service websites and high-volume support systems
Nuance Dragon	Speech-to-text and professional documentation	Strengthened voice transcription in healthcare and enterprise settings	Shows the value of accurate dictation and documentation workflows
Google Duplex	Real-time appointment and phone tasks	Demonstrated task completion through natural voice conversation	Supported booking, scheduling, and service automation use cases
Heyeve.ai	Legal training, consultation support, website assistance	Combines voice, chat, website navigation, and legal learning support	Shows a specialized professional model for voice-enabled legal web design

5. Heyeve.ai as a Contextual Case Study

Heyeve.ai is analyzed as a specialized voice-enabled assistant for legal and professional communication. The platform is relevant to this review because it connects multiple themes found in the literature: natural voice interaction, website assistance, legal learning, consultation preparation, multilingual support, and practice-based training.

The original draft described Heyeve.ai through two practical directions. The first direction is website-based support, where the assistant guides visitors, answers service questions, supports contact actions, and improves the customer-support journey. The second direction is legal training and professional development, where users can practice legal interviews, consultation-style communication, and mock trial scenarios in an interactive setting. This revised paper presents both directions in a clearer research structure.

5.1 Main Use Cases

Heyeve.ai can support modern websites by making user interaction faster, easier, and more natural. Instead of forcing visitors to search through long pages, menus, or forms, the assistant allows them to ask direct questions and receive clear guidance. This makes the platform more useful for general users, professional clients, legal learners, and people who need accessible digital support.

The main use cases include:

- **Website navigation support:** Users can ask questions directly instead of browsing through multiple pages, menus, or service sections.
- **Customer support:** The assistant can handle common questions, collect basic user details, guide visitors to the right service, and filter inquiries before human support is needed.

- **Legal consultation preparation:** Users can explain their concern in simple words, receive general guidance, and prepare better questions before speaking with a legal professional.
- **Legal education and mock trial training:** Law students, interns, and professionals can practice legal communication, courtroom-style responses, confidence, and structured argument delivery.
- **Accessibility support:** Voice-first interaction helps users who may find it difficult to type, read long text, or navigate complex website layouts.
- **Scheduling support:** When properly connected with scheduling tools, the assistant can help users book calendar meetings, consultation calls, or email follow-ups in a smoother way.

5.2 Ethical Positioning of Heyeve.ai

Heyeve.ai should be positioned as a support and training assistant, not as a replacement for licensed legal professionals. A legal voice assistant can explain general information, help users organize questions, and support learning. It should not give final legal decisions, promise case results, or remove the need for professional legal judgment. This distinction is central to responsible legal-service design.

Table 5. Comparative Evaluation of Interface Types

Dimension	Traditional Web	Chatbot Only	Voice Only	Hybrid Heyeve.ai
Conversational quality	1.0	3.5	4.0	4.0
Usability	4.5	3.0	3.5	4.0
Trustworthiness	3.5	3.0	3.0	3.5
Accessibility	2.0	3.0	4.5	4.5
User engagement	3.0	3.5	3.0	4.0
Responsiveness	4.5	3.5	3.5	4.0
Contextual awareness	2.5	3.0	3.5	4.0
Multimodal integration	1.0	2.0	2.5	4.5
Average score	2.75	3.06	3.44	4.06




Figure 5. Comparative interface evaluation scores.

The results suggest that traditional websites still perform well in usability and responsiveness because they are familiar and stable. However, they score lower in conversational quality, multimodal integration, contextual awareness, and accessibility. Chatbot-only interfaces improve basic conversation but remain limited when users prefer speaking, require hands-free support, or need emotional reassurance. Voice-only interfaces provide strong access and speed, but they may be less suitable in public places and can lack visual confirmation. The hybrid voice-enabled model performs best overall because it combines speech, text, visual content, and guided actions in one flexible experience.

6. Results and Evaluation

The comparative evaluation uses the eight-dimensional framework to compare four interface models: traditional web interface, chatbot-only interface, voice-only interface, and hybrid voice-enabled interface. The scoring follows a 1 to 5 scale, where 1 indicates very weak performance and 5 indicates excellent performance. The values are adapted from the original draft evaluation and refined into a clearer professional format.

Table 6. Heyeve.ai Performance Across Evaluation Dimensions

Dimension	Score	Supporting Evidence
Conversational quality	4.0	Natural conversation design, website guidance, multilingual communication support
Usability	4.0	Simple web integration, familiar chat and voice access, direct user guidance
Trustworthiness	3.5	Requires clear disclosure, limitation notices, privacy explanation, and human escalation
Accessibility	4.5	Voice-first interaction, hands-free access, language support, helpful for users with input barriers
User engagement	4.0	Personalized responses, guided flow, reduced navigation effort
Responsiveness	4.0	Immediate answers and quick first-level support when content is properly connected
Contextual awareness	4.0	Website content training, user-context handling, and follow-up conversation support
Multimodal integration	4.5	Voice, text, visual website interface, and optional action buttons work together

6.1 Interpretation of Findings

The strongest finding is that voice-enabled web design should be viewed as a strategic interaction layer, not as a decorative add-on. A website with voice support can become easier to use, more accessible, and more task-focused. The hybrid model is especially useful because it does not force every user into one mode. A user can speak, read, click, listen, or switch between modes depending on context, privacy, ability, and preference.

For legal platforms, the value is not only faster answers. The deeper value is structured preparation. Users can explain concerns in natural language, understand basic concepts,

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

prepare documents or questions, and move toward a professional consultation with greater confidence. This improves the consultation flow while maintaining the role of licensed professionals for final legal interpretation.

Research-Driven Policy and Design Guidelines

Voice-enabled professional platforms need clear policies because they handle personal questions, sensitive information, and important decisions. The following guidelines translate relevant research, accessibility standards, and legal-service guidance into practical design rules for Heyeve.ai and similar systems.

Policy and Governance Checklist for Legal Voice Assistants

Policy Area	Required Practice	Reason
Transparency	Tell users when they are interacting with an automated assistant and explain its role clearly.	Users should understand that the system provides support, not final legal judgment.
Legal boundary	Avoid final verdicts, guaranteed outcomes, or statements that replace licensed professional advice.	Protects users and keeps the platform within ethical legal-service limits.
Human oversight	Provide escalation to a lawyer, trainer, or responsible support team when issues are complex or sensitive.	Ensures important decisions remain under professional review.
Privacy and confidentiality	Collect only necessary information, explain data use, and protect consultation-related content.	Legal and professional questions often involve sensitive personal details.
Accessibility	Support voice, text, keyboard navigation, captions where needed, and screen-reader compatibility.	A voice system should widen access, not exclude users who cannot or do not want to speak.
Content accuracy	Use approved website content, verified legal learning material, and periodic expert review.	Reduces inaccurate, outdated, or misleading responses.
Safety and trust	Show limits, confidence boundaries, disclaimers, and safe next steps.	Improves user confidence and reduces overreliance.
Evaluation	Measure usability, accessibility, response quality, user satisfaction, latency, and escalation accuracy.	Continuous evaluation keeps the system reliable and research-driven.

Discussion

The literature and evaluation results indicate that voice-enabled web design is not only a technical development. It is also a communication, accessibility, trust, and service-design shift. When implemented responsibly, a voice assistant can make websites easier to use, especially for users who do not want to read long pages or complete complicated forms.

The Heyeve.ai case shows how this shift can move into legal and professional environments. Its value comes from combining assistance, education, consultation preparation, and practice-based training. The platform is most defensible when it works as a guided support layer and keeps expert legal judgment outside the automated system. This balance allows innovation while respecting professional responsibility.

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

Limitations

This review is based on secondary literature, publicly available platform information, and a conceptual evaluation framework. It does not include direct user testing, controlled usability experiments, technical latency measurements, or verified internal performance data from Heyeve.ai. Some score values are therefore interpretive and should be treated as framework-based estimates rather than final empirical measurements.

Future work should include real user studies with lawyers, law students, website visitors, people with disabilities, and non-technical users. It should also test speech recognition accuracy across accents, languages, noise conditions, and legal vocabulary. Additional research should measure task completion time, satisfaction, trust, error recovery, privacy perception, and escalation quality.

Conclusion

Voice-enabled web design represents an important stage in the evolution of modern websites. It changes websites from passive information spaces into interactive service channels where users can ask, listen, understand, and act. The strongest model is not voice-only. The strongest model is hybrid, where voice, text, visuals, and guided actions work together to support different user needs.

The evaluation shows that hybrid voice-enabled interfaces such as Heyeve.ai can offer stronger accessibility, engagement, contextual guidance, and multimodal interaction than traditional web interfaces, chatbot-only systems, or voice-only systems. In legal and professional platforms, this value must be supported by ethical boundaries, privacy safeguards, transparent communication, and human oversight.

Overall, Heyeve.ai fits within a growing research and design movement toward conversational, accessible, and policy-aware web experiences. Its most useful role is to support users, prepare consultations, guide learning, and improve communication while keeping final professional judgment in human hands.

DECLARATIONS

Acknowledgement: We appreciate the generous support from all the contributor to the research and their different affiliations.

Funding: No funding body in the public, private, or nonprofit sectors provided a particular grant for this research.

Availability of data and material: In the approach, the data sources for the variables are stated.

Authors' contributions: Each author participated equally in the creation of this work.

Conflicts of Interest: The authors declare no conflict of interest.

Consent to Participate: Yes

Consent for publication and Ethical approval: Because this study does not include human or animal data, ethical approval is not required for publication. All authors have given their consent.

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

REFERENCES

- Akhtar, M. H., Ghafoor, U., Imran, O., Ayub, N., Abdullah, M. M., & Khan, H. (2026). An Efficient AI and Deep learning Assisted Self-Healing Network Approach: Analysis on Fault Detection Response and Recovery to Mitigate Threats in IoT-Security Ecosystem. *The Asian Bulletin of Big Data Management*, 6(1), 40-66.
- Moustafa, N., & Slay, J. (2015). UNSW-NB15: A comprehensive data set for network intrusion detection systems. In *Proceedings of the 2015 Military Communications and Information Systems Conference (MilCIS)* (pp. 1–6). IEEE. <https://doi.org/10.1109/MiCIS.2015.7348942>
- Ferrag, M. A., Maglaras, L., Moschoyiannis, S., & Janicke, H. (2020). Deep learning for cyber security intrusion detection: Approaches, datasets, and comparative study. *Journal of Information Security and Applications*, 50, Article 102419. <https://doi.org/10.1016/j.jisa.2019.102419>
- Aljumah, F. (2023). AI-driven cybersecurity for IoT networks: Challenges and opportunities. *American Research Journal of Computer Science and Information Technology*, 5(1), 1–12.
- Sharafaldin, I., Lashkari, A. H., & Ghorbani, A. A. (2018). Toward generating a new intrusion detection dataset and intrusion traffic characterization. In *Proceedings of the 4th International Conference on Information Systems Security and Privacy (ICISSP)* (pp. 108–116).
- Sharafaldin, I., Lashkari, A. H., & Ghorbani, A. A. (2018). Toward generating a new intrusion detection dataset and intrusion traffic characterization. In *Proceedings of the 4th International Conference on Information Systems Security and Privacy (ICISSP)* (pp. 108–116).
- Li, Y., Xu, Y., Wang, Z., Jiao, J., & Wang, X. (2023). A lightweight LSTM-based intrusion detection system for IoT networks. *IEEE Internet of Things Journal*, 10(12), 10545–10556. <https://doi.org/10.1109/JIOT.2023.3245678>
- De Paola, A., et al. (2023). A comprehensive survey on self-healing networks in IoT: From theory to practice. *IEEE Communications Surveys & Tutorials*, 25(4), 2800–2835.
- Gupta, R., & Sharma, S. (2024). Reinforcement learning for self-healing in industrial IoT networks: A deep Q-network approach. *Journal of Network and Computer Applications*, 228, Article 103912. <https://doi.org/10.1016/j.jnca.2024.103912>
- Moustafa, N., Turnbull, B., & Choo, K. R. R. (2017). An ensemble intrusion detection technique based on proposed statistical flow features for protecting network traffic of internet of things. *Journal of Network and Computer Applications*, 81, 19–31. <https://doi.org/10.1016/j.jnca.2017.01.018>
- Roy, S. S., Mallik, A., Gulati, R., Obaidat, M. S., & Krishna, P. V. (2012). An intrusion detection system using ML algorithms. *International Journal of Machine Learning and Computing*, 2(6), 626–630.
- Kasongo, P., & Sun, Y. (2021). Performance analysis of intrusion detection systems using a feature selection method on the UNSW-NB15 dataset. *Journal of Big Data*, 8(1), Article 35. <https://doi.org/10.1186/s40537-021-00431-2>
- Creswell, J. W., & Creswell, J. D. (2018). *Research design: Qualitative, quantitative, and*

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

- mixed methods approaches (5th ed.). SAGE Publications, Inc. (Thousand Oaks, CA).
- McKeown, N., et al. (2008). OpenFlow: Enabling innovation in campus networks. *ACM SIGCOMM Computer Communication Review*, 38(2), 69–74. <https://doi.org/10.1145/1364654.1364666>
- Sutton, R. S., & Barto, A. G. (2018). *Reinforcement learning: An introduction* (2nd ed.). The MIT Press (Cambridge, MA).
- Chollet, F. (2021). *Deep learning with Python* (2nd ed.). Manning Publications Co. (Shelter Island, NY).
- Tavallae, M., Bagheri, E., Lu, W., & Ghorbani, A. A. (2009). A detailed analysis of the KDD CUP 99 data set. In *Proceedings of the IEEE Symposium on Computational Intelligence for Security and Informatics (CISIM)* (pp. 53–58).
- Naseer, S., et al. (2021). Enhanced network intrusion detection using deep learning. *Computer Networks*, 196, Article 108234. <https://doi.org/10.1016/j.comnet.2022.408234>
- Buczak, A. L., & Guven, E. (2016). A survey of data mining and ML for cybersecurity. *IEEE Communications Surveys & Tutorials*, 18(2), 781–812.
- Khan, M. A., et al. (2022). Blockchain for secure IoT: A survey. *IEEE Internet of Things Journal*, 9(1), 1–20.
- Mirsky, Y., Doitshman, T., Elovici, Y., & Shabtai, A. (2018). Kitsune: An ensemble of autoencoders for online network intrusion detection. In *Proceedings of the Network and Distributed System Security Symposium (NDSS)*. <https://doi.org/10.14722/ndss.2018.23200>
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT Press (Cambridge, MA). <http://www.deeplearningbook.org/>
- Jones, J. H., & Bridges, S. M. (2001). An immune system architecture for distributed intrusion detection. In *Proceedings of the IEEE International Conference on Systems, Man, and Cybernetics (SMC)* (Vol. 3, pp. 2280–2285).
- Li, Y., Xu, Y., Wang, Z., Jiao, J., & Wang, X. (2023). A lightweight LSTM-based intrusion detection system for IoT networks. *IEEE Internet of Things Journal*, 10(12), 10545–10556. <https://doi.org/10.1109/JIOT.2023.3245678>
- Gupta, R., & Sharma, S. (2024). Reinforcement learning for self-healing in industrial IoT networks: A deep Q-network approach. *Journal of Network and Computer Applications*, 228, Article 103912. <https://doi.org/10.1016/j.jnca.2024.103912>
- Zhang, Y., et al. (2024). Federated learning for anomaly detection in distributed IoT environments. *IEEE Transactions on Industrial Informatics*, 20(5), 6789–6799.
- Akhtar, M., Jabeen, T., Aziz, R., Amin, M., Rizwan, S., & Hamid, K. (2025). Intelligence based Self-Healing Network Design: An Automated Incident Response System for Troubleshooting of IoT Security Breaches. *Annual Methodological Archive Research Review*, 3(8), 176–214. <https://doi.org/10.63075/m5et0t86>
- Akhtar, M. H., Ali, A., Ali, S., Nasim, F., Aziz, M. H., Khan, H., & Naqvi, S. A. A. (2025). A Novel Machine Learning Approach for Database Exploitation to Enhance Database Security: A Survey. *Spectrum of Engineering Sciences*, 3(2), 26–57. <https://thesesjournal.com/index.php/1/article/view/131>
- Antonakakis, M., April, T., Bailey, M., Bernhard, M., Bursztein, E., Cochran, K., ... & Zhou,

- Y. (2017). Understanding the Mirai botnet. In Proceedings of the 26th USENIX Security Symposium (pp. 1093–1110). USENIX Association.
- Roman, R., Zhou, J., & Lopez, J. (2013). On the features and challenges of security and privacy in distributed internet of things. *Computer Networks*, 57(10), 2266–2279. <https://doi.org/10.1016/j.comnet.2012.12.018>
- Moustafa, N., Turnbull, B., & Choo, K. R. R. (2017). An ensemble intrusion detection technique based on proposed statistical flow features for protecting network traffic of internet of things. *Journal of Network and Computer Applications*, 81, 19–31. <https://doi.org/10.1016/j.jnca.2017.01.018>
- Hussain, F., Abbas, S. G., Shah, G. A., Pervaiz, I., & Khalid, S. (2024). ML in IoT security: A systematic literature review. *Journal of Network and Computer Applications*, 224, Article 103828. <https://doi.org/10.1016/j.jnca.2023.103828>
- Hamdan, M. (2024). Performance evaluation of intrusion detection systems in cloud computing environments. *Jordan Journal of Computers and Information Technology (JJCIT)*, 10(2), 155–170.
- Manju, & Srivastav, V. K. (2025). Review of self-healing IoT networks based AI-driven fault detection and recovery. *International Journal of Applied and Behavioral Sciences (IJABS)*, 11(2), 231–240.
- A., Uddin, S., Tanweer, H. A., Rasheed, M. A., Ahmed, M., & Murtaza, H. (2021). Data privacy issue in federated learning resolution using block chain. *VFAST Transactions on Software Engineering*, 9(4), 51-61.
- Abbas, G., Basit, A., Ayub, N., Rafique, S., Ali, A., Khan, H., & Hussain, M. Z. (2026). An Enhanced Machine Learning & Deep Learning based Intrusion Detection System for Intelligent Network Security: A Comprehensive Analysis to Avoid Intrusions in Big Data-based IoT Ecosystem. *The Asian Bulletin of Big Data Management*, 6(1), 26-33.
- Abdullah, M. M., Khan, H., Farhan, M., & Khadim, F. (2024). An Advance Machine Learning (ML) Approaches for Anomaly Detection based on Network Traffic. *Spectrum of engineering sciences*, 2(3), 502-527.
- Adil, M. U., Ali, S., Haider, A., Javed, M. A., & Khan, H. (2024). An Enhanced Analysis of Social Engineering in Cyber Security Research Challenges, Countermeasures: A Survey. *The Asian Bulletin of Big Data Management*, 4(4), 321-331.
- Ahmad, I., Nasim, F., Khawaja, M. F., Naqvi, S. A. A., & Khan, H. (2025). Enhancing IoT Security and Services based on Generative Artificial Intelligence Techniques: A Systematic Analysis based on Emerging Threats, Challenges and future Directions. *Spectrum of engineering sciences*, 3(2), 1-25.
- Abdullah, M. M., Ghafoor, U., Qadeer, Q. B., Khadim, F., Khan, H. S., Ahmad, A., & Khan, H. (2025). An Efficient of Artificial Intelligence based Brain Tumor Diagnosis and Classification: An Advance Medical Diagnosis Approach. *The Asian Bulletin of Big Data Management*, 5(2), 208-242.
- Abdullah, M. M., Khan, H., Farhan, M., & Khadim, F. (2024). An Advance Machine Learning (ML) Approaches for Anomaly Detection based on Network Traffic. *Spectrum of engineering sciences*, 2(3), 502-527.

- Ahmed, A., Javed, M. A., Qureshi, J. N., Khan, H., & Yousaf, H. F. (2024). An insightful Machine Learning based Privacy-Preserving Technique for Federated Learning. *The Asian Bulletin of Big Data Management*, 4(4), 332-343.
- Ahmed, A., Javed, M. A., Qureshi, J. N., Khan, H., & Yousaf, H. F. (2024). An insightful Machine Learning based Privacy-Preserving Technique for Federated Learning. *The Asian Bulletin of Big Data Management*, 4(4), 332-343.
- Ahmed, A., Rizwan, S. M., Ikram, F., Ahmed, N., Khan, H., & Hasan, M. Z. (2025). An Exploration of User-level Privacy-Preserving Federated Learning Technique: A Machine Learning Perspective on Classification, Threat Mitigations, and Exploring Federated Learning and Beyond. *The Asian Bulletin of Big Data Management*, 5(4), 292-318.
- Ahmed, A., Rizwan, S. M., Ikram, F., Ahmed, N., Khan, H., & Hasan, M. Z. (2025). An Exploration of User-level Privacy-Preserving Federated Learning Technique: A Machine Learning Perspective on Classification, Threat Mitigations, and Exploring Federated Learning and Beyond. *The Asian Bulletin of Big Data Management*, 5(4), 292-318.
- Ahmed, L., Ahmad, K., Said, N., Qolomany, B., Qadir, J., & Al-Fuqaha, A. (2020). Active learning based federated learning for waste and natural disaster image classification. *IEEE access*, 8, 208518-208531.
- Akhtar, M. H., Ghafoor, U., Imran, O., Ayub, N., Abdullah, M. M., & Khan, H. (2026). An Efficient AI and Deep learning Assisted Self-Healing Network Approach: Analysis on Fault Detection Response and Recovery to Mitigate Threats in IoT-Security Ecosystem. *The Asian Bulletin of Big Data Management*, 6(1), 40-66.
- Akhtar, M. H., Ghafoor, U., Imran, O., Ayub, N., Abdullah, M. M., & Khan, H. (2026). An Efficient AI and Deep learning Assisted Self-Healing Network Approach: Analysis on Fault Detection Response and Recovery to Mitigate Threats in IoT-Security Ecosystem. *The Asian Bulletin of Big Data Management*, 6(1), 40-66.
- Akmal, I., Khan, H., Khushnood, A., Zulfikar, F., & Shahbaz, E. (2024). An Efficient Artificial Intelligence (AI) and Blockchain-Based Security Strategies for Enhancing the Protection of Low-Power IoT Devices in 5G Networks. *Spectrum of engineering sciences*, 2(3), 528-586.
- Ahmad, J., Salman, W., Amin, M., Ali, Z., & Shokat, S. (2024). A Survey on Enhanced Approaches for Cyber Security Challenges Based on Deep Fake Technology in Computing Networks. *Spectrum of Engineering Sciences*, 2(4), 133-149.
- Ahmed, A., Ahmed, N., Ghafoor, U., Rizwan, S. M., Qureshi, R., Khan, H., & Hussain, M. Z. (2025). An Enhanced Textual Review Classification and Sentiment Analysis Approach based on Machine Learning: A Comprehensive Analysis for Text Categorization Approaches. *The Asian Bulletin of Big Data Management*, 5(4), 259-291.
- Ahmed, A., Ahmed, N., Ghafoor, U., Rizwan, S. M., Qureshi, R., Khan, H., & Hussain, M. Z. (2025). An Enhanced Textual Review Classification and Sentiment Analysis Approach based on Machine Learning: A Comprehensive Analysis for Text Categorization Approaches. *The Asian Bulletin of Big Data Management*, 5(4), 259-

291.

- Ahmed, A., Javed, M. A., Qureshi, J. N., Khan, H., & Yousaf, H. F. (2024). An insightful machine learning based privacy-preserving technique for federated learning. *The Asian Bulletin of Big Data Management*, 4(4), 332-343
- Ali, G., Shahbaz, H., Hassan, M. A., Ahmad, M., & Waleed, M. (2024). An Enhanced Approach of Exploring Digital Economy Using Modern Computer Networks. *Spectrum of Engineering Sciences*, 2(4), 292-312.
- Ali, H., Ayub, N., Irfan, A., Fayyaz, S., Masood, H., Ahmad, A., ... & Khan, H. (2025). A Unified AI-powered Social Media Platform for Intelligent Scheduling and Data Driven Analytics Using Multi-Layered Artificial Neural Networks (ANNs): <https://doi.org/10.5281/zenodo.17572988>. *Annual Methodological Archive Research Review*, 3(11), 94-134.
- Ali, R., Khan, H., Arif, M. W., Tariq, M. I., Din, I. U., Afzal, A., & Khan, M. A. Authentication of User Data for Enhancing Privacy in Cloud Computing Using Security Algorithms. In *Securing the Digital Realm* (pp. 187-200). CRC Press.
- Anas, M., Imtiaz, M. A., Saad Khan, A. A., Naghman, N. F., Khan, H., & Albouq, S. AN ADVANCED MACHINE LEARNING (ML) ARCHITECTURE FOR HEART DISEASE DETECTION, PREDICTION AND CLASSIFICATION USING MACHINE LEARNING. Vol.-20, No.-3, March (2025) pp 54 – 72
- Aqeel, N., Alam, A., Bhatti, Z., & Amir, A. (2024). A Survey on Tor's Multi Layer Architecture and Web Implications in Dark Web. *Spectrum of Engineering Sciences*, 2(4), 212-231.
- Ali, M., Cheema, S. M., Aslam, Z., Naz, A., & Ayub, N. (2023, March). CBAI: Cloud-Based Agile Infrastructure for Enhancing Distributed Agile Development. In *2023 4th International Conference on Computing, Mathematics and Engineering Technologies (iCoMET)* (pp. 1-6). IEEE.
- Ali, M., Cheema, S. M., Ayub, N., Naz, A., & Aslam, Z. (2022, December). Blockchain-based Privacy Preservation Framework for IoT-Based Information Systems. In *2022 3rd International Conference on Innovations in Computer Science & Software Engineering (ICONICS)* (pp. 1-7). IEEE, 2022
- Ali, M., Cheema, S. M., Ayub, N., Naz, A., & Aslam, Z. (2022, December). Impact of adopting robots as teachers: a review study. In *2022 International Conference on Emerging Technologies in Electronics, Computing and Communication (ICETECC)* (pp. 1-9). IEEE.
- Arshad, S., Ayub, N., Basit, A., Ali, A., Rizwan, S. M., Abdullah, M. M., ... & Hussain, M. Z. An Efficient Deep Learning Enabled Multimodal Sentiment Analysis based on Neural Networks and Text Mining Architectures for Short-Form Social Media Data: A Comprehensive Analysis.
- Asad, M., Moustafa, A., & Ito, T. (2021). Federated learning versus classical machine learning: A convergence comparison. *arXiv preprint arXiv:2107.10976*.
- Asghar, M. A., Aslam, A., Bakhet, S., Saleem, M. U., Ahmad, M., Gohar, A., & Khan, H. (2025). An Efficient Integration of Artificial Intelligence-based Mobile Robots in Critical Frames for the Internet of Medical Things (IoMTs) Using (ADP2S) and

- Convolutional Neural Networks (CNNs). Annual Methodological Archive Research Review, 3(4), 160-183.
- Aslam, I., Tariq, W., Nasim, F., Khan, H., Khawaja, M. F., Ahmad, A., & Nawaz, M. S. (2025). A Robust Hybrid Machine Learning based Implications and Preventions of Social Media Blackmailing and Cyber bullying: A Systematic Approach.
- Ayub, N., Alghamdi, T., Din, I., Ali, A., Khan, H., Ganiyeva, O., & Makhmudov, S. (2025). An Enhanced Artificial Intelligence and Deep Learning Assisted Breast Cancer Classification and Diagnosis Based on the Internet of Medical Things (IOMTs). Engineering, Technology & Applied Science Research, 15(6), 30612-30616.
- Ali, I., Saleem, M. U., Khan, A. A., Naz, A., Nawaz, M., & Khan, H. (2025). An Enhanced Artificial Intelligence Generated Virtual Influencer Framework: Examining the Effects of Emotional Display on User Engagement based on Convolutional Neural Networks (CNNs). Annual Methodological Archive Research Review, 3(4), 184-209.
- Ali, M., Khan, H., & Rehman, S. U. (2023). Edge Computing for Low-Latency IoT Applications. International journal of advanced sciences and computing, 38-49
- Malik, A., Khan, H., Ali, A., Nawaz, A., & Ahmad, S. The Impact of Climatic Parameters on the Streamflows & Future Sustainable Hydro-Energy Generation Predicting Streamflows for the 21st Century Under Climate Change Scenarios.
- Ali, M., Khan, H., Din, I. U., Tariq, M. I., & Javed, A. Design and Implementation Role of Middleware in Shared Network Environments: A Systematic Review. Securing the Digital Realm, 229-243.
- Ali, M., Khan, H., Rana, M. T. A., Ali, A., Baig, M. Z., Rehman, S. U., & Alsaawy, Y. (2024). A Machine Learning Approach to Reduce Latency in Edge Computing for IoT Devices. Engineering, Technology & Applied Science Research, 14(5), 16751-16756.
- Ayub, N., Alghamdi, T., Din, I., Ali, A., Khan, H., Ganiyeva, O., & Makhmudov, S. (2025). An Enhanced Artificial Intelligence and Deep Learning Assisted Breast Cancer Classification and Diagnosis Based on the Internet of Medical Things (IOMTs). Engineering, Technology & Applied Science Research, 15(6), 30612-30616.
- Ayub, N., Anwer, M. A., Iqbal, A., Rizwan, S. M., Shahbaz, A., Abid, M. H., & Rafi, S. (2025). Enhanced ML Framework based on Artificial Neural Network for countermeasures of Data Protection and Network Vulnerabilities Detection in Industrial Internet of Things. Annual Methodological Archive Research Review, 3(5), 410-431.
- Ayub, N., Bakhet, S., Arshad, M. J., Saleem, M. U., Anam, R., & Fuzail, M. Z. (2025). AN ENHANCED MACHINE LEARNING AND BLOCKCHAIN-BASED FRAMEWORK FOR SECURE AND DECENTRALIZED ARTIFICIAL INTELLIGENCE APPLICATIONS IN 6G NETWORKS USING ARTIFICIAL NEURAL NETWORKS (ANNS). Spectrum of Engineering Sciences, 3(4), 348-364.
- Ayub, N., Ejaz, A., Hassan, B., Hussain, M. Z., Nadeem, M., Sabir, L., & Fatima, S. (2025). An Efficient Machine Learning And Deep Learning Based Deep Packet Security

- Framework For Detection Of Computing Network Faults In The Iots. Spectrum of Engineering Sciences, 3(5), 659-674.
- Ayub, N., Uzair, M., Din, I., Ali, A., Khan, H., Yuldashev, F., & Makhmudov, S. (2025). An Efficient Human Activity Recognition (HAR) Model Based on Convolutional Neural Networks for Computing Devices Aiming to Reduce Latency and Tackle the Inactivity of Gadgets. Engineering, Technology & Applied Science Research, 15(6), 28885-28890.
- Ayub, N., Waheed, A., Ahmad, S., Akbar, M. H. A., Fuzail, M. Z., & Hashmi, A. H. (2025). Strengthening Network Security: An Efficient DL Enabled Data Protection and Privacy Framework for Threat Mitigation and Vulnerabilities Detection in IoT Network. Annual Methodological Archive Research Review, 3(6), 1-25.
- Ayub, N., Waheed, A., Ahmad, S., Akbar, M. H. A., Fuzail, M. Z., & Hashmi, A. H. (2025). Strengthening Network Security: An Efficient DL Enabled Data Protection and Privacy Framework for Threat Mitigation and Vulnerabilities Detection in IoT Network. Annual Methodological Archive Research Review, 3(6), 1-25.
- Ayub, N., Yaseen, A., Amin, M. N., Rizwan, S. M., Farooq, I., & Hussain, M. Z. (2025). Reliable Federated Learning (Rdl) Assisted Intrusion Detection And Classifications Approach Using (Ssl/Tls) For Network Security. Annual Methodological Archive Research Review, 3(7), 376-400.
- Aziz, R., Mehmood, A., Tariq, A., Nasim, F., Farooq, U., Naqvi, S. A. A., & Khan, H. (2025). Critical Evaluation of Data Privacy and Security Threats: An Intelligent Federated Learning-based Intrusion Detection System Poisoning Attack and Defense for Cyber-Physical Systems its Issues and Challenges Related to Privacy and Security in IoT. The Asian Bulletin of Big Data Management, 5(1), 73-84.
- Bacha, A., Sehar, H., Naseem, S., & Khan, M. I. (2024). FEDERATED LEARNING FOR THREAT INTELLIGENCE SHARING: A PRIVACY-PRESERVING COLLABORATIVE DEFENSE MODEL. Spectrum of Engineering Sciences, 656-664.
- Basit, A. (2026). An Enhanced Machine Learning & Deep Learning based Intrusion Detection System for Intelligent Network Security: A Comprehensive Analysis to Avoid Intrusions in Big Data-based IoT Ecosystem.
- Cai, B., Xu, X., Jia, K., Qing, C., & Tao, D. (2016). DehazeNet: An End-to-End System for Single Image Haze Removal. IEEE TIP, 25(11), 5187–5198.
- Cao, Q., Shen, L., Xie, W., Parkhi, O. M., & Zisserman, A. (2018). VGGFace2: A Dataset for Recognising Faces Across Pose and Age. IEEE FG, 67–74.
- Criado, M.F.; Casado, F.E.; Iglesias, R.; Regueiro, C.V.; Barro, S. Non-iid data and continual learning processes in federated learning: A long road ahead. Inf. Fusion 2022, 88, 263–280.
- Deng, J., Guo, J., Xue, N., & Zafeiriou, S. (2019). ArcFace: Additive Angular Margin Loss for Deep Face Recognition. IEEE/CVF CVPR, 4685–4694.
- Fakhar, M. H., Baig, M. Z., Ali, A., Rana, M. T. A., Khan, H., Afzal, W., ... & Albouq, S. (2024). A Deep Learning-based Architecture for Diabetes Detection, Prediction, and Classification. Engineering, Technology & Applied Science Research, 14(5), 17501-

17506.

- Farooq, I., Ahmed, S. A., Ali, A., Warraich, M. A., Aqeel, M., & Khan, H. (2024). Enhanced Classification of Networks Encrypted Traffic: A Conceptual Analysis of Security Assessments, Implementation, Trends and Future Directions. *The Asian Bulletin of Big Data Management*, 4(4), 500-522.
- Farooq, I., Ghafoor, U., Umer, S., Ali, A., Shahid, A. K., & Khan, H. (2025). An Efficient Big Data Security and Privacy in Healthcare for Enhancing Remote Sensing and Monitoring: A Technological Perspective based on ACL for Preserving Big Data Analytics in Cloud. *The Asian Bulletin of Big Data Management*, 5(4), 231-258.
- Farooq, M., Younas, R. M. F., Qureshi, J. N., Haider, A., & Nasim, F. (2025). Cyber security risks in DBMS: Strategies to mitigate data security threats: A systematic review. *Spectrum of engineering sciences*, 3(1), 268-290.
- Fatima, M., Ali, A., Ahmad, M., Nisa, F. U., Khan, H., & Raheem, M. A. U. Enhancing The Resilience Of Iot Networks: Strategies And Measures For Mitigating Ddos Attacks. *Cont.& Math. Sci.*, Vol.-19, No.-10, 129-152, October 2024 <https://jmcms.s3.amazonaws.com/wp-content/uploads/2024/10/10072102/jmcms-2410025-ENHANCING-THE-RESILIENCE-OF-IOT-NETWORKS-MF-HK.pdf>
- Fawy, K. F., Rodriguez-Ortiz, G., Ali, A., Jadeja, Y., Khan, H., Pathak, P. K., ... & Rahman, J. U. (2025). Catalytic exploration metallic and nonmetallic nano-catalysts, properties, role in photoelectrochemistry for sustainable applications. *Reviews in Inorganic Chemistry*, (0).
- Ganesan, S., Manoharan, K. G., & Periyathambi, E. (2025). Hybrid Approach to Detect Fog Level Using CNN and Defog the Video Sequence Using GAN. *Traitement du Signal*, 42(4), 2039–2052.
- Gaspar, M. B. A. F. (2025). IDS model for identifying Cyber Threats: Applying the novel Kolmogorov Arnold Neural Networks to the contemporary cyber-attack datasets, UNSW-NB15 and CICIDS2017.
- Ghafoor, U., Ayub, N., Yaseen, A., Anas, M., Farooq, I., Khan, S., & Naghman, N. F. (2025). AI Assisted Heart Disease Prediction and Classification and Segmentation based on PIMA and UCI Machine Learning Datasets. *Annual Methodological Archive Research Review*, 3(7), 248-276.
- Gombar, M., Topalović, A., & Pejić Bach, M. (2026). Cost-Aware Lightweight Deep Learning for Intrusion Detection: A Comparative Study on UNSW-NB15 and CICIDS2017. *Electronics*, 15(8), 1603.
- Goodfellow, I., et al. (2014). Generative Adversarial Nets. *NeurIPS*, 27, 2672–2680.
- Gordon, T. Diabetes, blood lipids, and the role of obesity in coronary heart disease risk for women. *Ann. Intern. Med.* 87, 393 (1977).
- Gul, W., Nawaz, A., Hamaz, M. T., & Khan, H. AN EFFICIENT MODEL FOR THE SELECTION OF LEADERSHIP COMPETENCIES AND PERFORMANCE IMPROVEMENT FOR THE SUCCESS OF TRANSPORTATION PROJECTS, *JOURNAL OF MECHANICS OF CONTINUA AND MATHEMATICAL SCIENCES* Vol.-16, No.-5, May (2021) pp 49-65 <https://doi.org/10.26782/jmcms.2021.05.00005>

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

- Gularte, K.H.M.; Vargas, J.A.R.; Da Costa, J.P.J.; Da Silva, A.A.S.; Santos embedded systems", In 2018 International Conference on Engineering and Emerging Technologies (ICEET), IEEE., pp. 1-8, Sep. 2018
- H. Khan, I. Uddin, A. Ali, M. Husain, "An Optimal DPM Based Energy-Aware Task Scheduling for Performance Enhancement in Embedded MPSoC", Computers, Materials & Continua., vol. 74, no. 1, pp. 2097-2113, Sep. 2023
- Ayub, N., Habib, Z., Bakhet, S., Riaz, S., Rizwan, S. M., Abid, M., ... & Khan, H. (2025). An Optimal Ai & Deep Learning Mechanism For Mitigating Hacking Threat Identification Using Secure Network Infrastructure Based On Linux And Software-Defined Network (Sdn). *Spectrum of Engineering Sciences*, 3(5), 675-687.
- H. Khan, M. U. Hashmi, Z. Khan, R. Ahmad, "Offline Earliest Deadline first Scheduling based Technique for Optimization of Energy using STORM in Homogeneous Multi-core Systems", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 125-130, Dec. 2018
- Ayub, N., Imtiaz, M. A., Ali, E., Alqahtani, A. M., Ali, A., Ashurov, M., ... & Law, F. L. (2025). A Decision Framework for Intra Task Fixed Priority INTEL PXA270 Distributed Architecture for Soft RT-Applications Based on Deep Learning. *Engineering, Technology & Applied Science Research*, 15(3), 23553-23558.
- H. Khan, M. U. Hashmi, Z. Khan, R. Ahmad, A. Saleem, "Performance Evaluation for Secure DES-Algorithm Based Authentication & Counter Measures for Internet Mobile Host Protocol", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 181-185, July. 2018
- Ayub, N., Iqbal, M. W., Saleem, M. U., Amin, M. N., Imran, O., & Khan, H. (2025). Efficient ML Technique for Brain Tumor Segmentation, and Detection, based on MRI Scans Using Convolutional Neural Networks (CNNs). *Spectrum of Engineering Sciences*, 3(3), 186-213.
- Ayub, N., Sarwar, N., Ali, A., Khan, H., Din, I., Alqahtani, A. M., ... & Ali, A. (2025). Forecasting Multi-Level Deep Learning Autoencoder Architecture (MDLAA) for Parametric Prediction based on Convolutional Neural Networks. *Engineering, Technology & Applied Science Research*, 15(2), 21279-21283.
- Hamayun Khan, Sheeraz Ahmed, S. Farhan Haider Shah, Rehan Ali Khan, Zeeshan Najam, Hasnain Abbas, Asif Nawaz, Zubair Aslam Khan, *JOURNAL OF MECHANICS OF CONTINUA AND MATHEMATICAL SCIENCES*, Vol.-15, No.-8, August (2020) pp 628-646 <https://doi.org/10.26782/jmcms.2020.08.00053>
- Hashmi, U., & Zeeshan Najam, S. A. (2023). Thermal-Aware Real-Time Task Schedulability test for Energy and Power System Optimization using Homogeneous Cache Hierarchy of Multi-core Systems. *Journal of Mechanics of Continua and Mathematical Sciences*, 14(4), 442-452.
- Hassan, A., Khan, H., Ali, A., Sajid, A., Husain, M., Ali, M., ... & Fakhar, H. (2024). An Enhanced Lung Cancer Identification and Classification Based on Advanced Deep Learning and Convolutional Neural Network. *Bulletin of Business and Economics (BBE)*, 13(2), 136-141.

- Ayub, N., Ejaz, A., Hassan, B., Hussain, M. Z., Nadeem, M., Sabir, L., & Fatima, S. (2025). An Efficient Machine Learning And Deep Learning Based Deep Packet Security Framework For Detection Of Computing Network Faults In The Iots. *Spectrum of Engineering Sciences*, 3(5), 659-674.
- Masab, M. M., Ayub, N., Ghafoor, U., Khan, A. K., Ullah, H., & Murtaza, S. (2026). CardioRiskNet: A Convolutional Neural Network CNN Meta Analysis: Effectiveness of Two-stage classification of an AI framework for personalized diagnosis, risk prediction and prognosis in cardiovascular diseases.
- Ayub, N., Imtiaz, M. A., Ali, E., Alqahtani, A. M., Ali, A., Ashurov, M., ... & Law, F. L. (2025). A Decision Framework for Intra Task Fixed Priority INTEL PXA270 Distributed Architecture for Soft RT-Applications Based on Deep Learning. *Engineering, Technology & Applied Science Research*, 15(3), 23553-23558.
- Hassan, H. Khan, I. Uddin, A. Sajid, "Optimal Emerging trends of Deep Learning Technique for Detection based on Convolutional Neural Network", *Bulletin of Business and Economics (BBE)*, vol. 12, no. 4, pp. 264-273, Nov. 2023
- He, K., Sun, J., & Tang, X. (2011). Single Image Haze Removal Using Dark Channel Prior. *IEEE TPAMI*, 33(12), 2341–2353.
- Hussain, M., Ahmed, H. A., Babar, M. Z., Ali, A., Shahzad, H. M., Rehman, S. U., ... & Alshahrani, A. M. (2025). An Enhanced Convolutional Neural Network (CNN) based P-EDR Mechanism for Diagnosis of Diabetic Retinopathy (DR) using Machine Learning. *Engineering, Technology and Applied Science Research*, 15(1), 19062-19067.
- Hussain, S., Sarwar, N., Ali, A., Khan, H., Din, I., Alqahtani, A. M., ... & Ali, A. (2025). An Enhanced Random Forest (ERF)-based Machine Learning Framework for Resampling, Prediction, and Classification of Mobile Applications using Textual Features. *Engineering, Technology & Applied Science Research*, 15(1), 19776-19781.
- Ibrahim, F. H. M., & Rahim, M. S. M. (2020). Single Image Dehazing Method Based on Current Strategies. *Journal of Theoretical and Applied Information Technology (JATIT)*, 98(10), 1534–1549.
- Imtiaz, M. A., Amir, A., Bakhet, S., Siddique, H., & Rizwan, S. M. (2025). An Optimal Diabetic Retinopathy Detection and Classification Approach based on integrated Hybrid Convolutional Neural Networks (CNNs). *Spectrum of Engineering Sciences*, 3(2).
- Isola, P., Zhu, J.-Y., Zhou, T., & Efros, A. (2017). Image-to-Image Translation with Conditional Adversarial Networks. *IEEE/CVF CVPR*, 1125–1134.
- J. Bonneau, "Why Buy When You Can Rent? Bribery and Vote Buying in Blockchain Voting," in *Proc. 2018 IEEE European Symposium on Security and Privacy Workshops (EuroS&PW)*, London, UK, 2018, pp. 123–130.
- Jabeen, T., Mehmood, Y., Khan, H., Nasim, M. F., & Naqvi, S. A. A. (2025). Identity Theft and Data Breaches How Stolen Data Circulates on the Dark Web: A Systematic Approach. *Spectrum of engineering sciences*, 3(1), 143-161.

- K. Croman et al., "On Scaling Decentralized Blockchains," in Proc. 20th International Conference on Financial Cryptography and Data Security (FC), Christ Church, Barbados, 2016, pp. 106–125.
- Javed, M. A., Anjum, M., Ahmed, H. A., Ali, A., Shahzad, H. M., Khan, H., & Alshahrani, A. M. (2024). Leveraging Convolutional Neural Network (CNN)-based Auto Encoders for Enhanced Anomaly Detection in High-Dimensional Datasets. *Engineering, Technology & Applied Science Research*, 14(6), 17894-17899.
- Khan, A. Ali, S. Alshmrany, "Energy-Efficient Scheduling Based on Task Migration Policy Using DPM for Homogeneous MPSoCs", *Computers, Materials & Continua.*, vol. 74, no. 1, pp. 965-981, Apr. 2023
- Khan, H. M. S., Hayat, C. M. A., Tayyab, H., & Ali, K. (2024). An Enhanced Cost Effective and Scalable Network Architecture for Data Centers. *Spectrum of Engineering Sciences*, 2(4), 1-32.
- Khan, M. U. Hashmi, Z. Khan, R. Ahmad, "Offline Earliest Deadline first Scheduling based Technique for Optimization of Energy using STORM in Homogeneous Multi-core Systems", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 125-130, Oct. 2018
- Khan, Q. Bashir, M. U. Hashmi, "Scheduling based energy optimization technique in multiprocessor
- Khan, S. Ahmad, N. Saleem, M. U. Hashmi, Q. Bashir, "Scheduling Based Dynamic Power Management Technique for offline Optimization of Energy in Multi Core Processors", *Int. J. Sci. Eng. Res.*, vol. 9, no. 12, pp. 6-10, Dec. 2018
- Khan, S., Ullah, I., Khan, H., Rahman, F. U., Rahman, M. U., Saleem, M. A., ... & Ullah, A. (2024). Green synthesis of AgNPs from leaves extract of *Salvia sclarea*, their characterization, antibacterial activity, and catalytic reduction ability. *Zeitschrift für Physikalische Chemie*, 238(5), 931-947.
- Khawar, M. W., Ayub, N., Shaheen, S., Iftikhar, B., Masood, H., Ahmad, A., & Khan, H. (2025). An Efficient system based on Artificial Intelligence for the Detection and Mitigation of network Intrusion using encrypted traffic protocols: A Systematic Approach. *Annual Methodological Archive Research Review*, 3(11), 32-71.
- Khawar, M. W., Salman, W., Shaheen, S., Shakil, A., Iftikhar, F., & Faisal, K. M. I. (2024). Investigating the most effective AI/ML-based strategies for predictive network maintenance to minimize downtime and enhance service reliability. *Spectrum of Engineering Sciences*, 2(4), 115-132.
- Li, B., et al. (2019). Benchmarking Single-Image Dehazing and Beyond. *IEEE TIP*, 28(1), 492–505.
- Li, H.; Luo, L.; Wang, H. Federated learning on non-independent and identically distributed data. In *Proceedings of the Third International Conference on Machine Learning and Computer Application (ICMLCA 2022)*, Shenyang, China, 16–18 December 2023; SPIE: Bellingham, WA, USA; pp. 154–162.
- Liang, Y., Ur Rahman, S., Shafaqat, A., Ali, A., Ali, M. S. E., & Khan, H. (2024). Assessing sustainable development in E-7 countries: technology innovation, and energy consumption drivers of green growth and environment. *Scientific Reports*, 14(1),

28636.

- Khan, H., Imtiaz, M. A., Siddique, H., Rana, M. T. A., Ali, A., Baig, M. Z., ... & Alsaawy, Y. (2025). An Enhanced Task Migration Technique Based on Convolutional Neural Network in Machine Learning Framework.
- Liaqat, M. S., Sharif, N., Ali, A., Khan, H., Ahmed, H. N., & Khan, H. (2024). An Optimal Analysis of Cloud-based Secure Web Applications: A Systematic Exploration based on Emerging Threats, Pitfalls and Countermeasures. *Spectrum of engineering sciences*, 2(5), 427-457.
- M. Gondal, Z. Hameed, M. U. Shah, H. Khan, "Cavitation phenomenon and its effects in Francis turbines and amassed adeptness of hydel power plant", In 2019 2nd International Conference on Computing, Mathematics and Engineering Technologies (iCoMET), IEEE., pp. 1-9, Mar. 2019
- Mahmood, F., Shehroz, M., Ansari, Z., & Rauf, F. (2024). A Survey of Software-Defined Networks Based on Advance Machine Learning Based Techniques. *Spectrum of Engineering Sciences*, 2(4), 232-257.
- Maqsood, M., Dar, M. M., Javed, M. A., & Khan, H. (2024). A Survey on the Internet of Medical Things (IOMT) Privacy and Security: Challenges Solutions and Future from a New Perspective. *The Asian Bulletin of Big Data Management*, 4(4), 355-368.
- Khan, H., Usman, R., Ahmed, B., Hashimi, U., Najam, Z., & Ahmad, S. (2019). Thermal-aware real-time task schedulability test for energy and power system optimization using homogeneous cache hierarchy of multi-core systems. *Journal of Mechanics of Continua and Mathematical Sciences*, 14(4), 442-452.
- Muhammad Anas, Muhammad Atif Imtiaz, Saad Khan, Arshad Ali, Noor Fatima Naghman, Hamayun Khan, Sami Albouq, AN ADVANCED MACHINE LEARNING (ML) ARCHITECTURE FOR HEART DISEASE DETECTION, PREDICTION AND CLASSIFICATION USING MACHINE LEARNING, *Cont.& Math. Sci*, Vol.20, No.3 <https://doi.org/10.26782/jmcms.2025.03.00005>
- Mujtaba, A., Zulfiqar, M., Azhar, M. U., Ali, S., Ali, A., & Khan, H. (2025). ML-based Fileless Malware Threats Analysis for the Detection of Cyber security Attack based on Memory Forensics: A Survey. *The Asian Bulletin of Big Data Management*, 5(1), 1-14.
- Mumtaz, J., Bakhet, S., Javed, A., Naz, A., Rashid, M., & Khan, H. (2025). An Intelligent Diagnosis and Tumor Segmentation Method based on MRI Images Using Pre-trained Deep Convolutional Neural Networks (CNNs). *The Asian Bulletin of Big Data Management*, 5(1), 147-163
- Mumtaz, J., Rehman, A. U., Khan, H., Din, I. U., & Tariq, I. Security and Performance Comparison of Window and Linux: A Systematic Literature Review. *Securing the Digital Realm*, 272-280.
- Khan, I. Ullah, M. U. Rahman, H. Khan, A. B. Shah, R. H. Althomali, M. M. Rahman, "Inorganic-polymer composite electrolytes: basics, fabrications, challenges and future perspectives", *Reviews in Inorganic Chemistry.*, vol. 44, no. 3, pp. 1-2, Jan. 2024
- Khan, K. Janjua, A. Sikandar, M. W. Qazi, Z. Hameed, "An Efficient Scheduling based cloud computing technique using virtual Machine Resource Allocation for efficient

- resource utilization of Servers", In 2020 International Conference on Engineering and Emerging Technologies (ICEET), IEEE., pp. 1-7, Apr. 2020
- Musharraf, S. T., Masab, M. M., Ayub, N., Murtaza, S., Ullah, H., Ahmad, A., ... & Khan, H. (2025). An Efficient Artificial Intelligence-Based Early Prediction of Heart Attack Using Deep Learning CNN and SVM Models: <https://doi.org/10.5281/zenodo.17551611>. Annual Methodological Archive Research Review, 3(10), 265-301.
- Mustafa, M., Ali, M., Javed, M. A., Khan, H., Iqbal, M. W., & Ruk, S. A. (2024). Berries of Low-Cost Smart Irrigation Systems for Water Management an IoT Approach. Bulletin of Business and Economics (BBE), 13(3), 508-514.
- Khan, A. K., Ghafoor, U., Ayub, N., Ali, A., Abdullah, M. M., & Khan, H. (2026). AI and Machine Learning Assisted Customer Aware Queries: A Comprehensive Analysis to improve User experience based on Natural Language Processing (NLP), Databricks, and Oracle APEX. The Asian Bulletin of Big Data Management, 6(1), 94-118.
- Khan, A. Yasmeen, S. Jan, U. Hashmi, "Enhanced Resource Leveling Indynamic Power Management Technique of Improvement In Performance For Multi-Core Processors", Journal of Mechanics of Continua and Mathematical Sciences., vol. 6, no. 14, pp 956-972, Sep. 2019
- Narasimhan, S. G., & Nayar, S. K. (2002). Vision and the Atmosphere. International Journal of Computer Vision, 48(3), 233–254.
- Nasir, M. S., Khan, H., Qureshi, A., Rafiq, A., & Rasheed, T. (2024). Ethical Aspects In Cyber Security Maintaining Data Integrity and Protection: A Review. Spectrum of engineering sciences, 2(3), 420-454.
- Nasir, M. S., Khan, H., Qureshi, A., Rafiq, A., & Rasheed, T. (2024). Ethical Aspects In Cyber Security Maintaining Data Integrity and Protection: A Review. Spectrum of engineering sciences, 2(3), 420-454.
- Naveed, A., Khan, H., Imtiaz, Z., Hassan, W., & Fareed, U. (2024). Application and Ethical Aspects of Machine Learning Techniques in Networking: A Review. Spectrum of engineering sciences, 2(3), 455-501.
- Khan, A. K., Bakhet, S., Javed, A., Rizwan, S. M., & Khan, H. (2025). Framework for Predicting Customer Sentiment Aware Queries and Results in Search Using Oracle and Machine Learning. Spectrum of Engineering Sciences, 3(2), 588-617.
- Nawaz, S., Salman, W., Shahid, U., Khokhar, M. L., Iqbal, M. Z., & Hamid, A. (2024). A Survey on Latest Trends and Technologies of Computer Systems Network. Spectrum of Engineering Sciences, 2(4), 85-114.
- Naz, H. Khan, I. Ud Din, A. Ali, and M. Husain, "An Efficient Optimization System for Early Breast Cancer Diagnosis based on Internet of Medical Things and Deep Learning", Eng. Technol. Appl. Sci. Res., vol. 14, no. 4, pp. 15957–15962, Aug. 2024
- Niaz, H. U., Qadeer, Q. B. Q., Niaz, H., Mansib, H., Awais, M., & Khan, H. (2025). Artificial Intelligence Assisted Autonomous Unmanned Aerial Vehicles (UAVs) and Aerial drones based on Machine Vision for Enhancing Remote Sensing of Precision crop Health Monitoring. The Asian Bulletin of Big Data Management, 5(4), 155-177.
- Noor, H., Khan, H., Din, I. U., Tariq, M. I., Amin, M. N., & Fatima, M. Virtual Memory Management Techniques. Securing the Digital Realm, 126-137.

- Noor, H., Khan, H., Din, I. U., Tarq, M. I., Amin, M. N., & Fatima, M. (2025). 12 Virtual Memory Management. Securing the Digital Realm: Advances in Hardware and Software Security, Communication, and Forensics, 126.
- P. De Filippi and S. Loveluck, "The Invisible Politics of Bitcoin: Governance Crisis of a Decentralised Infrastructure," *Internet Policy Review*, vol. 5, no. 3, pp. 1–28, Sep. 2016.
- Rafay, A., Salman, W., Yahya, G., & Malik, U. (2024). SD Network based on Machine Learning: An Overview of Applications and Solutions. *Spectrum of Engineering Sciences*, 2(4), 150-165.
- Rahman, M. U., Khan, S., Khan, H., Ali, A., & Sarwar, F. (2024). Computational chemistry unveiled: a critical analysis of theoretical coordination chemistry and nanostructured materials. *Chemical Product and Process Modeling*, 19(4), 473-515.
- Ramzan, M. S., Nasim, F., Ahmed, H. N., Farooq, U., Nawaz, M. S., Bukhari, S. K. H., & Khan, H. (2025). An Innovative Machine Learning based end-to-end Data Security Framework in Emerging Cloud Computing Databases and Integrated Paradigms: Analysis on Taxonomy, challenges, and Opportunities. *Spectrum of engineering sciences*, 3(2), 90-125.
- Raza, A., Khan, H., & Rehman, S. U. (2023). Computational Analysis of Nanomaterials for Energy Storage. *International Journal of Advanced Sciences and Computing*, 143-154.
- Ren, W., Liu, S., Zhang, H., Pan, J., Cao, X., & Yang, M.-H. (2016). Single Image Dehazing via Multi-Scale Convolutional Neural Networks. *ECCV*, 154–169.
- Rumelhart, D.E.; Hinton, G.E.; Williams, R.J. Learning representations by back-propagating errors. *Nature* 1986, 323, 533–536.
- S. Khan, I. Ullah, H. Khan, F. U. Rahman, M. U. Rahman, M. A. Saleem, A. Ullah, "Green synthesis of AgNPs from leaves extract of *Salvia Sclarea*, their characterization, antibacterial activity, and catalytic reduction ability", *Zeitschrift für Physikalische Chemie.*, vol. 238, no. 5, pp. 931-947, May. 2024
- Saeed, N., Ayub, N., Haider, A., Ghafoor, U., Ali, A., Wahab, A., ... & Hussain, M. Z. Exploration of Behavior-Based Advanced Persistent Threat (APT) Detection: A Systematic Analysis based on Open CTI, MITRE ATT&CK, and Machine Learning.
- Saif, S., Hamayun Khan, A. A., Albouq, S., Hussain, M. Z., Hasan, M. Z., Uddin, I., ... & Husain, M. AN EFFICIENT MACHINE LEARNING-BASED DETECTION AND PREDICTION MECHANISM FOR CYBER THREATS USING INTELLIGENT FRAMEWORK IN IOTS. Vol.-15, No.-8, August (2024) pp 191-206
- Sarwar, H. Khan, I. Uddin, R. Waleed, S. Tariq, "An Efficient E-Commerce Web Platform Based on Deep Integration of MEAN Stack Technologies", *Bulletin of Business and Economics (BBE).*, vol. 12, no. 4, pp. 447-453, Jun. 2023
- Saxena, A., Mane, V., & Abhale, A. (2017). Efficient Method for Haze Removal from Image Captured in Foggy Environment. *International Journal of Advanced Technology & Engineering Research (IJATER)*, 7(6), 36–41.
- Schroff, F., Kalenichenko, D., & Philbin, J. (2015). FaceNet: A Unified Embedding for Face Recognition and Clustering. *IEEE/CVF CVF CVPR*, 815–823.

- Shah, S. Ahmed, K. Saeed, M. Junaid, H. Khan, "Penetration testing active reconnaissance phase-optimized port scanning with nmap tool", In 2019 2nd International Conference on Computing, Mathematics and Engineering Technologies (iCoMET), IEEE., pp. 1-6, Nov. 2019
- Sharma, N., Kumar, V., & Singla, S. K. (2021). Single Image Defogging Using Deep Learning Techniques: Past, Present and Future. Archives of Computational Methods in Engineering, 28, 4449–4469.
- Sharma, V., & Kumar, M. (2025). Improving intrusion detection with hybrid deep learning models: A study on CIC-IDS2017, UNSW-NB15, and KDD CUP 99. Journal of Information Systems Engineering and Management, 10(11S), 633-650.
- Suganya, R., & Kanagavalli, R. (2020). On the Review of Dehazing Methods for Bad Weather Images. IJETT, Special Issues ICT 2020, 90–98.
- Sultan, H., Rahman, S. U., Munir, F., Ali, A., Younas, S., & Khan, H. (2025). Institutional dynamics, innovation, and environmental outcomes: a panel NARDL analysis of BRICS nations. Environment, Development and Sustainability, 1-43.
- U. Hashmi, S. A. ZeeshanNajam, "Thermal-Aware Real-Time Task Schedulabilty test for Energy and Power System Optimization using Homogeneous Cache Hierarchy of Multi-core Systems", Journal of Mechanics of Continua and Mathematical Sciences., vol. 14, no. 4, pp. 442-452, Mar. 2023
- Vidal Filho, et al. Safeguarding the V2X Pathways: Exploring the Cybersecurity Landscape through Systematic Literature Review. IEEE Access 2024, 12, 72871–72895.
- Waleed, R., Ali, A., Tariq, S., Mustafa, G., Sarwar, H., Saif, S., ... & Uddin, I. (2024). An Efficient Artificial Intelligence (AI) and Internet of Things (IoT's) Based MEAN Stack Technology Applications. Bulletin of Business and Economics (BBE), 13(2), 200-206.
- Wen, J., Zhang, Z., Lan, Y., Cui, Z., Cai, J., & Zhang, W. (2023). A survey on federated learning: challenges and applications. International journal of machine learning and cybernetics, 14(2), 513-535.
- Y. A. Khan, "A GSM based Resource Allocation technique to control Autonomous Robotic Glove for Spinal Cord Implant paralysed Patients using Flex Sensors", Sukkur IBA Journal of Emerging Technologies., vol. 3, no. 2, pp. 13-23, Feb. 2020
- Y. A. Khan, "A high state of modular transistor on a 105 kW HVPS for X-rays tomography Applications", Sukkur IBA Journal of Emerging Technologies., vol. 2, no. 2, pp. 1-6, Jun. 2019
- Y. A. Khan, "Enhancing Energy Efficiency in Temperature Controlled Dynamic Scheduling Technique for Multi Processing System on Chip", Sukkur IBA Journal of Emerging Technologies., vol. 2, no. 2, pp. 46-53, Jan. 2019
- Y. A. Khan, F. Khan, H. Khan, S. Ahmed, M. Ahmad, "Design and Analysis of Maximum Power Point Tracking (MPPT) Controller for PV System", Journal of Mechanics of Continua and Mathematical Sciences., vol. 14, no. 1, pp. 276-288, May. 2019
- Y. A. Khan, M. Ibrahim, M. Ali, H. Khan, E. Mustafa, "Cost Benefit Based Analytical Study of Automatic Meter Reading (AMR) and Blind Meter Reading (BMR) used by PESCO (WAPDA)", In 2020 3rd International Conference on Computing,

Online ISSN

3007-3197

Print ISSN

3007-3189

<http://amresearchreview.com/index.php/Journal/about>

- Mathematics and Engineering Technologies (iCoMET), IEEE., pp. 1-7, Aug. 2020
- Y. A. Khan, U. Khalil, H. Khan, A. Uddin, S. Ahmed, "Power flow control by unified power flow controller", Engineering, Technology & Applied Science Research., vol. 9, no. 2, pp. 3900-3904, Feb. 2019
- Yousaf, M., Khalid, F., Saleem, M. U., Din, M. U., Shahid, A. K., & Khan, H. (2025). A Deep Learning-Based Enhanced Sentiment Classification and Consistency Analysis of Queries and Results in Search Using Oracle Hybrid Feature Extraction. Spectrum of Engineering Sciences, 3(3), 99-121.
- Zaheer, M., Azeem, M. H., Afzal, Z., & Karim, H. (2024). Critical Evaluation of Data Privacy and Security Threats in Federated Learning: Issues and Challenges Related to Privacy and Security in IoT. Spectrum of Engineering Sciences, 2(5), 458-479.
- Zainab, Khan, H., Din, I. U., Tariq, M. I., Khalid, A., & Naz, A. (2023, May). An Efficient Implementation of an IoT-Based Smart Home Security System. In International Conference on Computing & Emerging Technologies (pp. 249-259). Cham: Springer Nature Switzerland.
- B. Shneiderman, C. Plaisant, M. Cohen, S. Jacobs, N. Elmqvist, and N. Diakopoulos, Designing the User Interface: Strategies for Effective Human-Computer Interaction, 6th ed. Pearson, 2016.
- S. Krug, Don't Make Me Think, Revisited: A Common Sense Approach to Web Usability, 3rd ed. New Riders, 2014.
- C. Pearl, Designing Voice User Interfaces: Principles of Conversational Experiences. O'Reilly Media, 2016.
- M. H. Cohen, J. P. Giangola, and J. Balogh, Voice User Interface Design. Addison-Wesley, 2004.
- M. F. McTear, Z. Callejas, and D. Griol, The Conversational Interface: Talking to Smart Devices. Springer, 2016.
- K. Seaborn and J. Urakami, "Measuring Voice UX Quantitatively: A Rapid Review," in Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems, 2021, pp. 1-7.