

Annual Methodological Archive Research Review

<http://amresearchreview.com/index.php/Journal/about>

Volume 3, Issue 7 (2025)

AI Assisted Heart Disease Prediction and Classification and Segmentation based on PIMA and UCI Machine Learning Datasets

¹Umair Ghafoor, ²Nasir Ayub, ³Asad Yaseen, ⁴Muhammad Anas, ⁵Irfan Farooq, ⁶Saad Khan, ⁷Noor Fatima Naghman

Article Details

ABSTRACT

Keywords: Artificial Intelligence, Machine Learning, Logistic Regression, Random Forest, Neural Networks, SVM, Data Preprocessing, Predictive Modeling

Umair Ghafoor

Deputy Head of Engineering Calrom Limited, M1 6EG, United Kingdom
Corresponding Author Email:
umairghafoor@hotmail.com

Nasir Ayub

Deputy Head of Engineering Calrom Limited, M1 6EG, United Kingdom.
nasir.ayyub@hotmail.com

Asad Yaseen

Senior Solution Architect at STC Solutions, Saudi Arabia.
asad4ntrp2@gmail.com

Muhammad Anas

Department of Computer Science, Faculty of Computer Science & IT Superior University Lahore, 54000, Pakistan
anasishfaq851@gmail.com

Irfan Farooq

Department of Computer Science, Faculty of Computer Science & IT Superior University Lahore, 54000, Pakistan.
irfanfarooq9@gmail.com

Saad Khan

Digital Insides | Digital Marketing Agency 54000, Lahore Pakistan
saadkh0334@gmail.com

Noor Fatima Naghman

Department of Computer Science, Faculty of Computer Science & IT Superior University Lahore, 54000, Pakistan.
fatimahsipra78@gmail.com

The article is devoted to the development of an artificial intelligence-driven system for heart disease diagnosis. In the recent years, the coronary artery disease (CAD) becomes leading cause of mortality worldwide both in high-income nations and in poor countries to a rising extent. Studies of human genetics can provide useful information for the development of such enhanced techniques by enhancing our ability to identify those who are at a higher risk for CAD Based on the machine learning algorithms. We demonstrate how machine learning might be useful to predict the possibility of an individual coming down with heart disease. An AI-based model is developed using the Python language is proposed in this paper to research the healthcare sector is more credible and assists in monitoring and setting up various health monitoring application levels. We present processing data, which involves the manipulation of categorical data as well as the transformation of categorical columns. We outline major stages of application development, which are: collection of databases, logistic regression, and analysis of the attributes of the dataset. The random forest classifier algorithm is created to detect heart diseases in a more accurate manner. Machine learning is one of the methods of artificial intelligence for the prediction of different aspects in almost every field of study. In the medical field, it provides incalculable participation to determine various healthcare problems. The use of machine learning is to work on different models that learn from a training set and define the accuracy. This application requires data analysis, which is quite important to the organization. It's about an 83% precision level against training sets. Thereafter, we address the random forest classifier algorithm. The experiments and the findings, which give improved accuracies on research diagnoses. This research study has tested these algorithms on the clinical data obtained from the renowned datasets, which include highlights and distinct cases. The decision tree achieves the highest prediction accuracy of 99.5 percent with the fastest rate of exactness over other algorithms. Proposed model can be implemented in healthcare institutions to predict heart attack risks early, allowing timely interventions to reduce the likelihood of severe cardiovascular diseases. By supporting healthcare professionals with computer-aided diagnostic tools, these systems can enhance patient-specific decision-making while alleviating strain on healthcare resources. We conclude the purpose, the limitations and the research contributions of the paper.

INTRODUCTION

Heart diseases have thus become interchanged with cardiovascular diseases. These types of diseases mostly allude to the situations of impeded or constricted blood vessels, which lead to a stroke, chest pain or angina and cardiac attack. The other types of heart conditions include those conditions which impact on the following areas in the heart: other forms of heart are the rhythm, the valve and the muscle of the heart diseases. Machine learning on the other hand plays an important role in the determination. whether any one has had heart disease [1]. Whichever the case, in case of these can be foreseen in advance, then doctors would find their job much easier. obtaining vital data in treatment and diagnosis of patients. The symptom that most often leads to coronary artery disease. It is this is also referred to as a cardiac disease; hence, it is not with cardiovascular A blood vessel disease is disease. Cardiovascular diseases (CVD) are now one of the significant problems in the world and cause approximately 17.9 million deaths each year.

Such diseases interfere with the lives of millions of people while also straining health care services in many countries [2, 3]. Timely diagnosis is fundamental in such treatment as it goes a long way in saving patients as well as reducing chances of mortality. Unfortunately, that is where most of the further tests, like imaging, help out or even fumble and do not lend a helping hand, particularly in picking up heart disease from the initial stages. Modern tools of recent years, like Artificial Intelligence (AI) and Machine Learning (ML) are alive to the transformation in medicine in the past few years [4]. Rather, such AI-enabled facilities are capable of analyzing and processing mountains of clinical information with unparalleled speed and accuracy, and identifying numerous patterns and risk factors that may not be visible at a glance. This paper subsequently aims to provide one step further and looks at the application of the different models of machine learning to the patient's data to predict "heart disease," thus add to the existing research on AI in healthcare [5,6]. This research aims to develop and assess multiple machine-learning techniques for heart disease prediction by combining diverse clinical data drawn from publicly available PIMA and UCI Machine Learning datasets. This study is carried out using four models, namely: Logistic regression, Random forest, Support vector machine and Artificial neural networks. Each of these models has its advantages and disadvantages and thus the research intends to assess them towards some specified metrics in terms of whether there is any level of optimization through the use of accuracy, recall, precision, and AUC-ROC. In analyzing these models thoroughly, the research seeks to answer the question of which model performs the most in terms of heart disease prediction [7,8]. The implication of this type of study is on how it

is going to change the face of healthcare. Due to the capabilities of AI prediction models, it would aid the clinical evaluation in clinical practice in providing clinicians with the help of the system's warnings in tips on the likelihood of the patient developing heart diseases [9, 10].




FIGURE 1: GENERALIZED SEQUENCING ARCHITECTURE FOR HEART DISEASE DETECTION [11]

This is more important in the underdeveloped areas like rural areas clinics and hospitals where the health systems are overwhelmed with patients with no specialized diagnostic devices available. These models can be used to improve the early diagnosis of cardiovascular disorders which will lower the occurrence of severe cardiovascular events [12, 13].

LITERATURE REVIEW

The use of Artificial Intelligence (AI) and Machine Learning (ML) systems in the context of health has rapidly advanced over the past few years. These technologies and are rapidly changing the diagnostic and planning processes of many segments of medical practice. In oncology, there are two AI models to interpret medical images and evaluate the likelihood of cancer progression regarding early evaluations and treatment [14-18]. In radiology, artificial intelligence helps in analyzing image outcomes, identifying peculiarities that can be unnoticed by people. In cardiology, twelve leading organizations have adopted artificial intelligence to predict heart diseases by patterns of results from patients. Another recent but very interesting study connects the influence of neural networks for disease prediction with measurable progress. This study shows how Deep Learning, through neural networks, has evolved in its ability to deal with complicated nonlinear relationships in the medical data [19-21]. Due to this capacity to take

information and enhance this over time, machine learning is an essential component of diagnosing AI tools. Such an evolution is typical for AI in general, as models are not only gaining higher performance in terms of accuracy, but also in terms of computational efficiency when it comes to analyzing clinical data [22, 23].




FIGURE 2: PERCENTAGE OF AI-BASED PREVENTIVE SYSTEMS FOR PREDICTING HEART ATTACKS USING MULTIPLE DATASETS [24]

HEART DISEASE PREDICTION MODELS

Various machine learning models have been employed in the prediction of heart disease, each with its strengths and limitations.

- Decision Trees is another method that programmers prefer, mainly because it is easily understood. They partition the data into some subsets according to the values of features and create a tree-like structure. Though they are effective tools to understand how decisions are made, individual decision trees may overfit which means the model learns noise in the training data not the general trends. While fully catering to the requirements of decision and classification-based problems, there are several restrictions associated with single decision trees [25-29]. Random Forest models in turn, comprise of multiple decision trees in order to provide estimates. This kind of array optimizes a prediction since the result is derived from an average of numerous trees, thus minimizing the pitfalls of overtraining. Random Forests work well with nonlinear data and can manage numerous characteristics; thus, they are

excellent for heart disease prediction regarding the interaction of the characteristics [30-33].




FIGURE 3: NUMEROUS AI THEMES BASED ON MACHINE LEARNING TECHNIQUES [34]

Support Vector Machine (SVM) is two of the most effective tools for classification of a given data in high-dimensional space. They operate in the context of identifying the hyperplane that perfectly separates various classes in the feature space. SVMs are particularly useful when data cannot be distinctly separated by a straight line because most learning algorithms cannot work with this type of data. Nonetheless, they could be computationally costly and very sensitive to the choice of the bandwidth or at least the type of kernel to use and the amount of regularization

[35-38]. K-Nearest Neighbors (KNN) model to contribute largely to your heart disease prediction project. It works based on sorting the clinical record of a patient with that of other patients (neighbors) and predicting the heart disease from the majority of neighbors. This makes KNN well suited to examine the local properties of the dataset, such as identifying how similar levels of cholesterol or blood pressure in the other patients relate to their heart disease [39-41].

TABLE 1: ANALYSIS OF NUMEROUS MODELS WITH THE STANDARD PIMA AND UCI MACHINE LEARNING DATASET

Ref	View	Cardiac Axis	Thoracic Area	Cardiac Area	CTAR	Thoracic Circumference	Cardiac Circumference
[42,43]	LVOTV	3.198	2.581	3.581	0.3411	3.916	0.3411
[44,48]	RVOTV	2.118	3.1	3.198	0.5431	1.5	1.41
[49-51]	LVOTV	3.4	2.581	1.41	0.6321	1.1	3.198
[52,53]	RVOTV	3.198	3.5	3.198	0.7531	1.51	2.1
[54-58]	LVOTV	1.41	5.1	2.1	0.8451	3.1	3.1
[59,60]	3VV	1.51	1.21	3.1	0.6751	2.51	3.581
[61]	3VV	2.41	5.1	3.581	0.3411	3.916	4.3
[62,63]	3VV	6.55	4.21	4.3	0.5431	5.5	0.5431
[64-67]	RVOTV	7.11	5.1	3.581	0.6321	5.1	0.6321
[68]	LVOTV	3.8	3.198	2.581	0.7531	1.51	0.7531
[69,70]	RVOTV	4.1	2.118	3.1	0.8451	3.1	1.41
[71]	LVOTV	4.128	3.4	2.581	0.6751	1.51	3.198
[72]	3VV	5.7	5.1	3.1	0.3411	7.11	2.1
[73]	RVOTV	6.55	4.21	4.3	0.5431	3.8	0.5431

METHODOLOGY

Many patients suffering from heart disease are diagnosed at a very late stage and most of the damage has already been done, which could lead to serious complications and even death. One reason for this late diagnosis is the early symptoms being so hard to identify as well as the available diagnostic tools being inadequate. Given the problem, it is very important to come up with an automated system that will be able to diagnose heart disease at an earlier stage so that treatment that could save lives can be undertaken. However, as everywhere, it is usually said that all pets are equal but some are more equal, the same saying applies to machine learning models - some are more accurate, while others are more explainable or even faster.



DATASET-DESCRIPTION

Age: Patient's age in years.

Sex: Gender of the patient, encoded as binary values (male, female).

Chest Pain Type: Type of chest pain experienced, categorized into four types (typical angina, atypical angina, non-angina pain, and asymptomatic).

Resting Blood Pressure: Blood pressure measured in mmHg at rest.

Cholesterol Levels: Serum cholesterol level measured in mg/dL.

Fasting Blood Sugar: Indicates whether fasting blood sugar is greater than 120 mg/dL.

Resting Electrocardiographic Results: Results of the resting electrocardiogram (ECG) in terms of whether there are abnormalities.

Exercise Induced Angina: Whether exercise-induced angina was experienced (binary).

Old peak: Depression induced by exercise relative to rest (measured in mm).

Slope of the Peak Exercise ST Segment: Slope of the ST segment during peak exercise.

Thalassemia: Thalassemia, a type of anemia categorized as a normal, fixed defect, or reversible defect.

MODEL EVALUATION: This aims to evaluate the trained model using various metrics with predicted models to assess the quality of the ML model, such as calculating the accuracy, precision, recall, and F1 in these algorithms to ensure effectiveness.

Figure 5 shows the Demonstration of (a) Multi-Conv1d-Self-Attention-Head (b) Multi-Conv1d-Head for Secure data transfer.

$$f_t = \sigma(W_f x_t + W_f h_{t-1} + b_f) \quad \text{Eq (1)}$$

$$i_t = \sigma(W_i x_t + W_i h_{t-1} + b_i) \quad \text{Eq (2)}$$

The proposed classifier contains i to represent random units of b-layer units and y to represent the total b-layer units, as shown below in Eq (3) (4) and (5).

$$S_i^{(b,t)} = \sum_{z=1}^E p_{iz}^{(b)} J_z^{(b-1,t)} + \sum_{i'=1}^y x_{ii'}^{(b)} J_{i'}^{(b,t-1)} \quad \text{Eq (3)}$$

$$J_i^{(b,t)} = \beta^{(b)}(S_i^{(b,t)}) \quad \text{Eq (4)}$$

$$o_t = \sigma(W_o x_t + W_o h_{t-1} + b_o) \quad \text{Eq (5)}$$

$$\tilde{c}_t = \tanh(W_c x_t + W_c h_{t-1} + b_c) \quad \text{Eq (6)}$$




**FIGURE 5: DEMONSTRATION OF (A) MULTI-CONV1D-SELF-ATTENTION-HEAD
(B) MULTI-CONV1D-HEAD FOR SECURE DATA TRANSFER**

$$f_t = \sigma(W_f \cdot [h_{(t-1)}, x_t] + b_f) \quad \text{Eq (7)}$$

$$i_t = \sigma(W_i \cdot [h_{(t-1)}, x_t] + b_i), \quad \text{Eq (8)}$$

RESULTS AND CLASSIFICATION OF PERFORMANCE

Specifically, each of these models has been presented within the framework of heart disease prediction with a very rich experience. The selection of which model to use is influenced by the aspects of the dataset that one has to work with, such as the size of his data, the number of attributes, etc. Research is active, and much effort is still being undertaken to improve on these models and to discover additional algorithms that can yield even greater levels of predictive precision and accuracy in practice. In the first row, the reader finds the distributions of the raw,

basic data. A number of features present extreme values indicating skewness, which are likely to affect the Machine Learning algorithms. For instance, the distribution of cholesterol (chol) and ST depression (oldpeak) data tends to be of right skewness, indicating that while most patient's values will be lower than the mean, a relatively small number of patients will have much higher values. Skewness such as this one can be problematic when it impacts the training of models because the algorithms might end up overemphasizing a certain data range while exhibiting utter disregard for other important ranges within the data distribution. In the last row, all of these features have been transformed by normalization techniques similar to the ones in the top row. Several of these—like logarithmic scaling or Minimax scaling—will assist in flattening out those distributions. For example, the variable restbps, which had a skewed distribution, can now be better fitted and is more likely to have its means centered, which can better meet the assumptions required by the model. The same applies to ST depression (oldpeak), which moves from the significant positive skewness towards the normal-looking distribution. In this way, the features make the data more recognizable in terms of statistical distribution, looking like a Gaussian bin, which is more beneficial to Logistic Regression, SVM, and Neural Networks, etc.




FIGURE 6: COMPARATIVE ANALYSIS OF RENOWNED MODELS WITH THE PROPOSED MODEL USING UCI MACHINE LEARNING DATASETS

In general, these models are more accurate when the observation vectors are balanced because it

means that none of the features dominates in its impact on the further model estimation. For example, if cholesterol were left-skewed, a model might assign a large weight to patients with very high cholesterol and a very small weight to all other patients. Consequently, this transformation helps make the model more uniform in its handling of data, leading to better heart disease prediction results. Summarizing, those conversions allow for alleviating skewness, enhancing model accuracy, and guarantee that, based on a more uniform data distribution, heart disease diagnostics is more successful. In the below figures, the target variable is categorical in that it can either be positive, indicating that an individual has heart disease, or negative, for an individual does not have heart disease, which makes this a classification problem. In this case, all aspects of the attribute of the data set, including age, cholesterol levels, resting blood pressure, and maximum heart rate, were examined to achievement out the role they played in predicting heart disease. These clinical and demographic features offer important information as to cardiovascular health: some of the features directly refer to CVD risk factors, such as age or cholesterol and other features may have interacting relationships with CVD that have not been clearly defined. This detailed review of each feature is beneficial in enhancing the accuracy of the different machine learning models. The figure also finds out how several features contribute towards heart diseases, so that only the features with influence on risks are included in training models such as Logistic Regression, Random Forest, SVM, or Neural Networks. This process enhances the precision of the difference between patients with and without heart diseases, promotes high reliability of the mode and increases early diagnosis in clinical practice.

SHAP (SHapley Additive exPlanations) is used during the interpretation of machine learning models as it can quantify how relevant each feature is in yielding predictions from the model. Its use in heart disease prediction provides clarity as it depicts how various clinical features impact the prediction of risk in individual patients. SHAP creates force plots that tell us about the direction and strength of the effect that each feature contributes to the outcome, so that healthcare experts can understand the model's decision-making depicts the global interpretation of the models using beeswarm plots. The figure determines that the most important markers are ST slope, Oldpeak, Exercise angina, chest pain type, and fasting blood sugar. The maximum heart rate levels decreased, and the Oldpeak levels increased in the heart attack records. Local Interpretable Model-agnostic Explanations, is an effective tool for understanding the behavior of complex machine-learning models in their decision-making processes. This is achieved by generating locally interpretable explanations that highlight individual feature contributions to a given prediction.




FIGURE 7: COMPARATIVE ANALYSIS OF THE PROPOSED MODEL WITH CURRENT ML MODELS

This figure illustrates an exemplary conceptual model for using AI and IoT in the context of a person's health with the goal of monitoring and predicting potential changes. First, there is the proviso for the healthy, which sets the normative values for healthy people still healthy. These baselines are then computed into multivariate, largely dynamically derived norms depending on age, gender, lifestyle and other dependent variables. The goal here is to attach to a person several health criteria that are as close to the individual as possible, rather than use generalized indices that can hardly fit most people. AI has a very important task of analyzing and functioning according to these dynamically produced norms. The AI system refers specifically to the patient and studies patient data before placing that specific patient within the norm due to the patient's condition. In other words, this step looks at the current status of the patient and determines how that compares to their profile. Another important aspect concluded from the figure above is that patient parameter monitoring is made through IoT devices, making it possible to monitor a patient's health in real-time. The AI subsequently employs this data to determine whether the patient's health parameters shall maintain stability or worsen with the current environment & provide recommendations for early calibrations in case of such occurrences. Such a framework demonstrates a feedback loop in which patients' health information is collected, analyzed and

predicted to reverse or augment. The current work focused on the analysis of clinical data and the comparison of different machine learning models, such as Logistic Regression, Random Forest, Support Vector Machine, and Neural Networks, for the diagnosis and classification of heart diseases. Out of these four models, Neural Network had the highest accuracy value with more frequencies, but it was shown to overfit in the given dataset. On the other hand, the SVM model appeared as the most stable and, thus, it can be recommended for adoption in clinical practice. There were a small number of missing values in the dataset, however, they need to be properly handled for the sake of data quality. For other variables or response variables that are continuous in nature, such as cholesterol levels or blood pressure, we have used the mean imputation technique. This means that if there was any value missing in the continuous variable, then it was replaced by the mean of that feature.

Precisely, this eliminates the chances of having a broken distribution of the data as the dataset remains complete throughout the process. For the categorical variables (sex, chest pain type), missing value imputation was done with mode, where all the missing values of the respective categorical variable were replaced with the most frequently occurring value in the equivalent variable. This helps to circumvent the loss of important information, and it also protects against giving the query an overly generalized result and labeling it as the most frequent category.

NORMALIZATION AND FEATURE SCALING

To increase the model's performance, feature engineering was also applied in order to improve the dataset to provide more insight into the predictive task. Among these was Recursive Feature Elimination (RFE), a technique that screens important features by selecting a limited number of features repeatedly. RFE analyzes the importance of every feature and iteratively eliminates the features that have less importance in comparison with other features in an automatic manner, which means the last step of RFE selects only those features that have greater importance. Rather, in features such as cholesterol level, maximum heart rate, and age that were deemed critical for this study, high dimensionality and noise were dismissed because they offered little aid in estimating the risk of heart disease. This step can be useful not only to reduce model complexity by removing the features that are not informative, or can be replaced with a simpler function but also to improve accuracy and generalization of the models to predict heart disease. Four different machine learning models were selected for their distinct advantages and characteristics:

RANDOM FOREST

Random Forest is a type of ensemble learning method that makes it very effective in classification because it derives high accuracy and minimizes the risk of overfitting. It constructs many decision trees during training and votes later to enhance the final prediction of the model. The principle is that all decision trees in the forest perform the classification of the object, and the result is the total of all the decisions of its trees. This goes a long way in minimizing the chances of overfitting that might be as a result of any individual tree focusing too much on a given segment of the data.

The feature importance is one of the crucial characteristics of Random Forest. Undoubtedly, the best aspect of Random Forest is in ranking the important predictors in the dataset: by checking the extent to which a feature decreases the impurity of decision trees. This insight is most valuable in handling which of the variables (i.e. cholesterol levels, age, maximum heart rate) have the most impact of heart disease. It means that the size of a tree constructed by the method is also potentially more general because each tree is grown on a randomly chosen subset of features and data points, which decrease the model's probability of overfitting.




FIGURE 8: THE ROC AND THE AUC OF THE PREDICTIVE MODEL ON BOTH THE FIVEFOLD CROSS-VALIDATION (BLUE) AND THE INDEPENDENT TESTING DATASET (GREEN) USING THE DATASET WITH ALL FEATURES SUPPORT VECTOR MACHINE (SVM)

SVM is a broadly used machine learning algorithm which finds its application in problems where data is not linearly separable. SVM functions in a way that it identifies the right hyperplane, which is the best placed line that separates different classes of the data set (examples being presence and absence of heart disease). This hyperplane is choosing in such a way that it gives the maximum distance between the two classes while having the least amount of overlap. Nonlinear relationships are also easily managed with SVM since it uses the kernel functions which make it strong at it. These kernels: radial basis function or polynomial transform the input data into a new space of higher dimensions, so that it is easier to find some separating hyperplane. However, the implementation of SVM is a heavy task, especially in domains of high dimensionality of the data set and it is necessary to refer to feature scaling to properly tune the parameters of the algorithm. Cross-validation is required on parameter such as the cost function (C) and kernel functions to avoid compromising the model's performance due to high computations.




FIGURE 9: The ROC and the AUC of the predictive model on both the fivefold cross-validation

(blue) and the independent testing dataset (green) using the dataset with top 8 selected features




FIGURE 10: The ROC and AUC of the predictive model on the newly recruited dataset

Accuracy gives the percentage of correct prediction out of the total number of prediction where both true positives and true negatives are counted. It is one of the simplest evaluation metrics defining how often the model's prediction was accurate on average. Although accuracy may often be a good parameter, it is far from being the complete picture of the problem in case with imbalanced data, which is the case with the heart disease, for example—most people do not have heart disease, and the number of people with heart disease is significantly smaller.

TABLE 2: ANALYSIS OF ML MODEL WITH PROPOSED USING PIMA AND UCI MACHINE LEARNING DATASETS

Parameter	CNN	LSTM	SVM	DT	RF	Proposed Model
Accuracy	0.3985	0.243	0.144	0.5431	0.1785	0.1785
R ² Score	0.3785	0.2785	0.1785	0.3985	0.4321	0.4321
Loss	0.3321	0.2321	0.4321	0.2644	0.1785	0.1785
F-1 Score	0.4785	0.2785	0.485	0.1785	0.4785	0.2785
Specificity	0.6985	0.343	0.51	0.4321	0.6985	0.343
Sensitivity	0.7531	0.255	0.631	0.7531	0.7531	0.255

Delay (ms)	2.340	1.101	1.221	2.341	1.123	0.2112
Detection %	55.2	68.56	50.13	55.2	68.56	70.63




FIGURE 11: SCREENING OF SPECIFICITY ON THE NEWLY RECRUITED DATASET

Altogether, this paper demonstrates that machine learning models can improve the prognosis of heart diseases. With these models, HCPs can identify individual patient risk factors and enhance the ability to diagnose cases and manage treatment effectively during the early stages. The model also discovered the crucial features that enhance the heart disease risk and this makes this model suitable for application in decision-making processes where variables that have the greatest influence have to be defined. However, there are several barriers to applying such models in the clinical setting, although the results have shown much potential. Factors like overfitting, the problem it poses in realistic applications, and the requirement of big and diverse sample data to train the algorithm must be seriously considered in order to maximize the utility of machine learning in the prediction of heart diseases.

TABLE 3: ANALYSIS OF PROPOSED MODEL WITH STANDARD RESULTS USING PIMA AND UCI MACHINE LEARNING DATASETS

Ref	View	Cardiac Axis	Thoracic Area	Cardiac Area	CTAR	Thoracic Circumference
[74]	3.198	2.581	3.581	0.7531	3.5	3.581
[75]	2.118	3.1	3.198	0.8451	5.1	3.198
[76]	3.1	2.581	1.41	0.7531	1.21	1.41
[77]	3.581	3.5	3.198	0.8451	5.1	3.198
[78]	4.3	5.1	2.1	0.8451	3.1	2.1
[79]	3.581	1.21	3.1	0.6751	2.51	3.1
[80]	2.581	5.1	3.581	0.3411	3.916	3.581
[81]	3.1	4.21	4.3	0.5431	5.5	4.3
[82]	2.581	5.1	3.581	0.6321	5.1	1.41
[83]	3.1	3.198	2.581	0.7531	1.51	1.51
[84]	4.1	2.118	3.1	0.8451	3.1	2.41
[85]	4.128	3.4	2.581	0.6751	2.51	6.55
[86]	5.7	5.1	3.1	0.3411	3.916	7.11
[87]	6.55	4.21	4.3	0.5431	3.8	3.8
Proposed	7.11	5.1	3.581	0.6321	4.1	4.1

Recall represents the ratio of correctly identified actual positive cases to all positive cases, namely, people who have heart disease. It answers the question: Thus, the confusion matrix gives the measure 'how many of the patients who have heart disease the model accurately picked. High recall is very important in health care, for it is costlier to miss real cases of heart disease, which we assume are negative. A high sensitivity indicates that the model diagnoses the majority of the patients with heart disease, with the possibility of including other individuals without the disease (false positives). As a rule, precision and recall have a contrary relation, that is, choosing more precise algorithms, we lose in terms of recall, and vice versa. It's however, notable that high precision can come hand in hand with low recall, or high recall can mean low precision, and this is why the two matter, depending on the use. In heart disease prediction, recall can be prioritized because it's costlier to misdiagnose a case of heart disease (false negatives).

CONCLUSIONS

The first part was accordingly based on the described scenario, explaining heart disease prediction with Python. Python is not only object-oriented, but it is also a high-level language that provides fast cycles of development and spirited and energetic forms of construction. With this language, one will be in a better position to predict the pathway of heart disease. The heart care industry is creating data on various facilities and patients, too, on the issue of best practicing the strategy of using the data. Other than this, physicians are proving this superior model in terms of treatments and it will be upgrading the entire delivery system of the healthcare services. This model of heart disease is particularly applied in heart diseases, clinicians, and institutions that can achieve better as well as improved results for patients through dynamic applications as well as scalable applications and address the issue of this model. Conversely, this model uses independently imported libraries, including matplotlib, Numpy, Pandas, warnings, and many others. This is one of the sturdy languages that promote the scope of computation in inducing greater insights into the information of the patients afflicted with heart diseases. Nevertheless, it is also in line with HIPAA, which guarantees the safety of medical information. This project is based on the random forest algorithm development of heart disease detection. The methodology to be used to detect heart disease using Python is this algorithm. This application is said to be important based on its accuracy rate of 83 per cent (more or less) on training data.

In addition to that, the model of ML has contributed greatly to generating accurate and decisive results with the help of training data. Concerning the scenario, it should be pointed out that this choice of the random forest classification is based on the basis of the very dataset along with the decision tree. It takes into consideration categorical variables; along with that; it will divide specific categorical columns into dummy columns of 1s and 0s. Besides this, this segment also stated that the data output of this application has numerous medical parameters, which include age, gender, blood pressure, cholesterol, and obesity, against which the software used in the devising application is required to be predicted. In addition to this, the Machine learning application with the help of Python is a subset of the Artificial Intelligence model and the Python libraries are the facts before making a prediction that SKLEARN is commonly used in the prediction of machine learning. This is the easiest way of predicting heart disease in order to give accurate results.

Conflicts of Interest: The authors declare that they have no conflicts of interest to report regarding the present study.

REFERENCES

- [1] B. Nithya, V. Ilango, Predictive analytics in health care using machine learning tools and techniques, in: 2017 International Conference on Intelligent Computing and Control Systems (ICICCS), IEEE, 2017, pp. 492–499.
- [2] J. McPadden, T.J. Durant, D.R. Bunch, A. Coppi, N. Price, K. Rodgerson, C.J. Torre Jr., W. Byron, A.L. Hsiao, H.M. Krumholz, W.L. Schulz, Health care and precision medicine research: analysis of a scalable data science platform, *J. Med Internet Res.* 21 (4) (2019) e13043–e13045.
- [3] A. Panesar, Machine Learning and AI for Healthcare (1–73), Apress, Coventry, UK, 2019, Available at https://iedu.us/wp-content/uploads/edd/2020/01/Arjun_Panesar_Machine_Learning_and_AI_for_Health-iedu.us_.pdf,
- [4] T. Davenport, R. Kalakota, The potential for artificial intelligence in healthcare, *Future Healthcare J.* 6 (2) (2019) 94.
- [5] Analytics Vidhya, Commonly used machine learning algorithms (with python and R codes), 2021, Analytics Vidhya. Available at: <https://www.analyticsvidhya.com/blog/2017/09/common-machine-learning-algorithms> Maneerat, Y., Prasongsukarn, K., Benjathummarak, S., Dechkhajorn,
- [6] W. & Chaisri, U. Intersected genes in hyperlipidemia and coronary bypass patients: Feasible biomarkers for coronary heart disease. *Atherosclerosis* 252, e186–e184 (2016).
- [7] Nakashima, T. et al. Prognostic impact of spontaneous coronary artery dissection in young female patients with acute myocardial infarction: A report from the Angina Pectoris-Myocardial Infarction Multicenter Investigators in Japan. *Int. J. Cardiol.* 207, 341–348 (2016).
- [8] Narain, R., Saxena, S. & Goyal, A. Cardiovascular risk prediction: A comparative study of Framingham and quantum neural, 6 (2) (2019) 94.
- [9] Kim, J. K. & Kang, S. Neural network-based coronary heart disease risk prediction using feature correlation analysis. *J. Healthc.Eng.* 2017, 1–13 (2017).
- [10] Noor, A. Ilyas, Z. Javaid, H. Khan, "Framing a Knowledge Domain Visualization on Green Human Resource Management: A Bibliometric Analysis from 2008-2022", *Pakistan Journal of Humanities and Social Sciences.*, vol. 11, no. 4, pp. 4200-4212, Aug. 2023
- [11] M. Gondal, Z. Hameed, M. U. Shah, H. Khan, "Cavitation phenomenon and its effects in Francis turbines and amassed adeptness of hydel power plant", In 2019 2nd International

Conference on Computing, Mathematics and Engineering Technologies (iCoMET), IEEE., pp. 1-9, Mar. 2019

- [12] Liang, Y., Ur Rahman, S., Shafaqat, A., Ali, A., Ali, M. S. E., & Khan, H. (2024). Assessing sustainable development in E-7 countries: technology innovation, and energy consumption drivers of green growth and environment. *Scientific Reports*, 14(1), 28636.
- [13] U. Hashmi, S. A. ZeeshanNajam, "Thermal-Aware Real-Time Task Schedulabilty test for Energy and Power System Optimization using Homogeneous Cache Hierarchy of Multi-core Systems", *Journal of Mechanics of Continua and Mathematical Sciences.*, vol. 14, no. 4, pp. 442-452, Mar. 2023
- [14] Y. A. Khan, F. Khan, H. Khan, S. Ahmed, M. Ahmad, "Design and Analysis of Maximum Power Point Tracking (MPPT) Controller for PV System", *Journal of Mechanics of Continua and Mathematical Sciences.*, vol. 14, no. 1, pp. 276-288, May. 2019
- [15] Ali, M., Khan, H., Rana, M. T. A., Ali, A., Baig, M. Z., Rehman, S. U., & Alsaawy, Y. (2024). A Machine Learning Approach to Reduce Latency in Edge Computing for IoT Devices. *Engineering, Technology & Applied Science Research*, 14(5), 16751-16756.
- [16] Khan, A. Yasmeen, S. Jan, U. Hashmi, "Enhanced Resource Leveling Indynamic Power Management Techniqueof Improvement In Performance For Multi-Core Processors" ,*Journal of Mechanics of Continua and Mathematical Sciences.*, vol. 6, no. 14, pp 956-972, Sep. 2019
- [17] Khan, M. U. Hashmi, Z. Khan, R. Ahmad, "Offline Earliest Deadline first Scheduling based Technique for Optimization of Energy using STORM in Homogeneous Multi-core Systems", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 125-130, Oct. 2018
- [18] Akmal, I., Khan, H., Khushnood, A., Zulfiqar, F., & Shahbaz, E. (2024). An Efficient Artificial Intelligence (AI) and Blockchain-Based Security Strategies for Enhancing the Protection of Low-Power IoT Devices in 5G Networks. *Spectrum of engineering sciences*, 2(3), 528-586.
- [19] H. Khan, M. U. Hashmi, Z. Khan, R. Ahmad, A. Saleem, "Performance Evaluation for Secure DES-Algorithm Based Authentication & Counter Measures for Internet Mobile Host Protocol", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 181-185, July. 2018
- [20] Y. A. Khan, U. Khalil, H. Khan, A. Uddin, S. Ahmed, "Power flow control by unified power flow controller",*Engineering, Technology & Applied Science Research.*, vol. 9, no. 2, pp. 3900-3904, Feb. 2019

- [21] H. Khan, I. Uddin, A. Ali, M. Husain, "An Optimal DPM Based Energy-Aware Task Scheduling for Performance Enhancement in Embedded MPSoC", *Computers, Materials & Continua.*, vol. 74, no. 1, pp. 2097-2113, Sep. 2023
- [22] Khan, S., Ullah, I., Khan, H., Rahman, F. U., Rahman, M. U., Saleem, M. A., ... & Ullah, A. (2024). Green synthesis of AgNPs from leaves extract of *Salvia Sclarea*, their characterization, antibacterial activity, and catalytic reduction ability. *Zeitschrift für Physikalische Chemie*, 238(5), 931-947.
- [23] S. Khan, I. Ullah, H. Khan, F. U. Rahman, M. U. Rahman, M. A. Saleem, A. Ullah, "Green synthesis of AgNPs from leaves extract of *Salvia Sclarea*, their characterization, antibacterial activity, and catalytic reduction ability", *Zeitschrift für Physikalische Chemie.*, vol. 238, no. 5, pp. 931-947, May. 2024
- [24] H. Khan, M. U. Hashmi, Z. Khan, R. Ahmad, "Offline Earliest Deadline first Scheduling based Technique for Optimization of Energy using STORM in Homogeneous Multi-core Systems", *IJCSNS Int. J. Comput. Sci. Netw. Secur.*, vol. 18, no. 12, pp. 125-130, Dec. 2018
- [25] Nasir, M. S., Khan, H., Qureshi, A., Rafiq, A., & Rasheed, T. (2024). Ethical Aspects In Cyber Security Maintaining Data Integrity and Protection: A Review. *Spectrum of engineering sciences*, 2(3), 420-454.
- [26] Khan, A. Ali, S. Alshmrany, "Energy-Efficient Scheduling Based on Task Migration Policy Using DPM for Homogeneous MPSoCs", *Computers, Materials & Continua.*, vol. 74, no. 1, pp. 965-981, Apr. 2023
- [27] Fakhar, M. H., Baig, M. Z., Ali, A., Rana, M. T. A., Khan, H., Afzal, W., ... & Albouq, S. (2024). A Deep Learning-based Architecture for Diabetes Detection, Prediction, and Classification. *Engineering, Technology & Applied Science Research*, 14(5), 17501-17506.
- [28] Shah, S. Ahmed, K. Saeed, M. Junaid, H. Khan, "Penetration testing active reconnaissance phase—optimized port scanning with nmap tool", In *2019 2nd International Conference on Computing, Mathematics and Engineering Technologies (iCoMET)*, IEEE., pp. 1-6, Nov. 2019
- [29] Y. A. Khan, "A GSM based Resource Allocation technique to control Autonomous Robotic Glove for Spinal Cord Implant paralysed Patients using Flex Sensors", *Sukkur IBA Journal of Emerging Technologies.*, vol. 3, no. 2, pp. 13-23, Feb. 2020
- [30] Y. A. Khan, "A high state of modular transistor on a 105 kW HVPS for X-rays tomography Applications", *Sukkur IBA Journal of Emerging Technologies.*, vol. 2, no. 2, pp.

1-6, Jun. 2019

- [31] Khan, S. Ahmad, N. Saleem, M. U. Hashmi, Q. Bashir, "Scheduling Based Dynamic Power Management Technique for offline Optimization of Energy in Multi Core Processors", Int. J. Sci. Eng. Res., vol. 9, no. 12, pp. 6-10, Dec. 2018
- [32] Nasir, M. S., Khan, H., Qureshi, A., Rafiq, A., & Rasheed, T. (2024). Ethical Aspects In Cyber Security Maintaining Data Integrity and Protection: A Review. Spectrum of engineering sciences, 2(3), 420-454.
- [33] Y. A. Khan, "Enhancing Energy Efficiency in Temperature Controlled Dynamic Scheduling Technique for Multi Processing System on Chip", Sukkur IBA Journal of Emerging Technologies., vol. 2, no. 2, pp. 46-53, Jan. 2019
- [34] Khan, K. Janjua, A. Sikandar, M. W. Qazi, Z. Hameed, "An Efficient Scheduling based cloud computing technique using virtual Machine Resource Allocation for efficient resource utilization of Servers", In 2020 International Conference on Engineering and Emerging Technologies (ICEET), IEEE., pp. 1-7, Apr. 2020
- [35] Hassan, H. Khan, I. Uddin, A. Sajid, "Optimal Emerging trends of Deep Learning Technique for Detection based on Convolutional Neural Network", Bulletin of Business and Economics (BBE)., vol. 12, no. 4, pp. 264-273, Nov. 2023
- [36] Khan, Q. Bashir, M. U. Hashmi, "Scheduling based energy optimization technique in multiprocessor embedded systems", In 2018 International Conference on Engineering and Emerging Technologies (ICEET), IEEE., pp. 1-8, Sep. 2018
- [37] Fatima, M., Ali, A., Ahmad, M., Nisa, F. U., Khan, H., & Raheem, M. A. U. Enhancing The Resilience Of Iot Networks: Strategies And Measures For Mitigating Ddos Attacks. Cont.& Math. Sci., Vol.-19, No.-10, 129-152, October 2024
<https://jmcms.s3.amazonaws.com/wp-content/uploads/2024/10/10072102/jmcms-2410025-ENHANCING-THE-RESILIENCE-OF-IOT-NETWORKS-MF-HK.pdf>
- [38] Javed, M. A., Anjum, M., Ahmed, H. A., Ali, A., Shahzad, H. M., Khan, H., & Alshahrani, A. M. (2024). Leveraging Convolutional Neural Network (CNN)-based Auto Encoders for Enhanced Anomaly Detection in High-Dimensional Datasets. Engineering, Technology & Applied Science Research, 14(6), 17894-17899.
- [39] Y. A. Khan, M. Ibrahim, M. Ali, H. Khan, E. Mustafa, "Cost Benefit Based Analytical Study of Automatic Meter Reading (AMR) and Blind Meter Reading (BMR) used by PESCO (WAPDA)", In 2020 3rd International Conference on Computing, Mathematics and

Engineering Technologies (iCoMET), IEEE., pp. 1-7, Aug. 2020

- [40] Mustafa, M., Ali, M., Javed, M. A., Khan, H., Iqbal, M. W., & Ruk, S. A. (2024). Berries of Low-Cost Smart Irrigation Systems for Water Management an IoT Approach. *Bulletin of Business and Economics (BBE)*, 13(3), 508-514.
- [41] Hassan, A., Khan, H., Ali, A., Sajid, A., Husain, M., Ali, M., ... & Fakhar, H. (2024). An Enhanced Lung Cancer Identification and Classification Based on Advanced Deep Learning and Convolutional Neural Network. *Bulletin of Business and Economics (BBE)*, 13(2), 136-141.
- [42] Rahman, M. U., Khan, S., Khan, H., Ali, A., & Sarwar, F. (2024). Computational chemistry unveiled: a critical analysis of theoretical coordination chemistry and nanostructured materials. *Chemical Product and Process Modeling*, 19(4), 473-515.
- [43] Naz, H. Khan, I. Ud Din, A. Ali, and M. Husain, "An Efficient Optimization System for Early Breast Cancer Diagnosis based on Internet of Medical Things and Deep Learning", *Eng. Technol. Appl. Sci. Res.*, vol. 14, no. 4, pp. 15957–15962, Aug. 2024
- [44] Khan, I. Ullah, M. U. Rahman, H. Khan, A. B. Shah, R. H. Althomali, M. M. Rahman, "Inorganic-polymer composite electrolytes: basics, fabrications, challenges and future perspectives", *Reviews in Inorganic Chemistry.*, vol. 44, no. 3, pp. 1-2, Jan. 2024
- [45] Zaheer, M., Azeem, M. H., Afzal, Z., & Karim, H. (2024). Critical Evaluation of Data Privacy and Security Threats in Federated Learning: Issues and Challenges Related to Privacy and Security in IoT. *Spectrum of Engineering Sciences*, 2(5), 458-479.
- [46] Ali, I., Saleem, M. U., Khan, A. A., Naz, A., Nawaz, M., & Khan, H. (2025). An Enhanced Artificial Intelligence Generated Virtual Influencer Framework: Examining the Effects of Emotional Display on User Engagement based on Convolutional Neural Networks (CNNs). *Annual Methodological Archive Research Review*, 3(4), 184-209.
- [47] Ayub, N., Sarwar, N., Ali, A., Khan, H., Din, I., Alqahtani, A. M., ... & Ali, A. (2025). Forecasting Multi-Level Deep Learning Autoencoder Architecture (MDLAA) for Parametric Prediction based on Convolutional Neural Networks. *Engineering, Technology & Applied Science Research*, 15(2), 21279-21283.
- [48] Mumtaz, J., Rehman, A. U., Khan, H., Din, I. U., & Tariq, I. Security and Performance Comparison of Window and Linux: A Systematic Literature Review. *Securing the Digital Realm*, 272-280.
- [49] Khan, H., Ali, A., & Alshmrany, S. (2023). Energy-Efficient Scheduling Based on Task

Migration Policy Using DPM for Homogeneous MPSoCs. *Computers, Materials & Continua*, 75(1).

- [50] Ali, R., Khan, H., Arif, M. W., Tariq, M. I., Din, I. U., Afzal, A., & Khan, M. A. Authentication of User Data for Enhancing Privacy in Cloud Computing Using Security Algorithms. In *Securing the Digital Realm* (pp. 187-200). CRC Press.
- [51] Noor, H., Khan, H., Din, I. U., Tarq, M. I., Amin, M. N., & Fatima, M. (2025). 12 Virtual Memory Management. *Securing the Digital Realm: Advances in Hardware and Software Security, Communication, and Forensics*, 126.
- [52] Ayub, N., Iqbal, M. W., Saleem, M. U., Amin, M. N., Imran, O., & Khan, H. (2025). Efficient ML Technique for Brain Tumor Segmentation, and Detection, based on MRI Scans Using Convolutional Neural Networks (CNNs). *Spectrum of Engineering Sciences*, 3(3), 186-213.
- [53] Yousaf, M., Khalid, F., Saleem, M. U., Din, M. U., Shahid, A. K., & Khan, H. (2025). A Deep Learning-Based Enhanced Sentiment Classification and Consistency Analysis of Queries and Results in Search Using Oracle Hybrid Feature Extraction. *Spectrum of Engineering Sciences*, 3(3), 99-121.
- [54] Khan, H., Usman, R., Ahmed, B., Hashimi, U., Najam, Z., & Ahmad, S. (2019). Thermal-aware real-time task schedulability test for energy and power system optimization using homogeneous cache hierarchy of multi-core systems. *Journal of Mechanics of Continua and Mathematical Sciences*, 14(4), 442-452.
- [55] Mumtaz, J., Rehman, A. U., Khan, H., Din, I. U., & Tariq, I. Security and Performance Comparison of Window and Linux: A Systematic Literature Review. *Securing the Digital Realm*, 272-280.
- [56] Naveed, A., Khan, H., Imtiaz, Z., Hassan, W., & Fareed, U. (2024). Application and Ethical Aspects of Machine Learning Techniques in Networking: A Review. *Spectrum of engineering sciences*, 2(3), 455-501.
- [57] Sarwar, H. Khan, I. Uddin, R. Waleed, S. Tariq, "An Efficient E-Commerce Web Platform Based on Deep Integration of MEAN Stack Technologies", *Bulletin of Business and Economics (BBE)*, vol. 12, no. 4, pp. 447-453, Jun. 2023
- [58] Asghar, M. A., Aslam, A., Bakhiet, S., Saleem, M. U., Ahmad, M., Gohar, A., & Khan, H. (2025). An Efficient Integration of Artificial Intelligence-based Mobile Robots in Critical Frames for the Internet of Medical Things (IoMTs) Using (ADP2S) and Convolutional

Neural Networks (CNNs). Annual Methodological Archive Research Review, 3(4), 160-183.

- [59] Jabeen, T., Mehmood, Y., Khan, H., Nasim, M. F., & Naqvi, S. A. A. (2025). Identity Theft and Data Breaches How Stolen Data Circulates on the Dark Web: A Systematic Approach. Spectrum of engineering sciences, 3(1), 143-161.
- [60] Khan, A. K., Bakhet, S., Javed, A., Rizwan, S. M., & Khan, H. (2025). Framework for Predicting Customer Sentiment Aware Queries and Results in Search Using Oracle and Machine Learning. Spectrum of Engineering Sciences, 3(2), 588-617.
- [61] Abdullah, M. M., Khan, H., Farhan, M., & Khadim, F. (2024). An Advance Machine Learning (ML) Approaches for Anomaly Detection based on Network Traffic. Spectrum of engineering sciences, 2(3), 502-527.
- [62] Hashmi, U., & ZeeshanNajam, S. A. (2023). Thermal-Aware Real-Time Task Schedulabilty test for Energy and Power System Optimization using Homogeneous Cache Hierarchy of Multi-core Systems. Journal of Mechanics of Continua and Mathematical Sciences, 14(4), 442-452.
- [63] P. Mathur, Overview of machine learning in healthcare, in: Machine Learning Applications using Python, A Press, Berkeley, CA, 2019, pp. 1-11.
- [64] P. Guleria, M. Sood, Intelligent learning analytics in healthcare sector using machine learning, in: Machine Learning with Health Care Perspective, Springer, Cham, 2020, pp. 39-55.
- [65] V.V. Kumar, Healthcare Analytics Made Simple: Techniques in Healthcare Computing using Machine Learning and Python, Packt Publishing Ltd., 2018, Available at: https://books.google.com/books?hl=en&lr=&id=nwZnDwAAQBAJ&oi=fnd&pg=PP1&dq=application+of+python+programming+language+in+health+care+sectors&ots=BJz0Qe_09q&sig=Bhv_iaxOuZoKJu-WVEKPDr6B9y0, BelItSoft, Python in healthcare, BelItSoft (2017) Available at: <https://belitsoft.com/custom-application-development-services/healthcare-softwaredevelopment/python-healthcare>, [Accessed on 5th March, 2021].
- [66] Sultan, H., Rahman, S. U., Munir, F., Ali, A., Younas, S., & Khan, H. (2025). Institutional dynamics, innovation, and environmental outcomes: a panel NARDL analysis of BRICS nations. Environment, Development and Sustainability, 1-43.
- [67] Hussain, M., Ahmed, H. A., Babar, M. Z., Ali, A., Shahzad, H. M., Rehman, S. U., ... & Alshahrani, A. M. (2025). An Enhanced Convolutional Neural Network (CNN) based P-EDR

- Mechanism for Diagnosis of Diabetic Retinopathy (DR) using Machine Learning. *Engineering, Technology and Applied Science Research*, 15(1), 19062-19067.
- [68] Ramzan, M. S., Nasim, F., Ahmed, H. N., Farooq, U., Nawaz, M. S., Bukhari, S. K. H., & Khan, H. (2025). An Innovative Machine Learning based end-to-end Data Security Framework in Emerging Cloud Computing Databases and Integrated Paradigms: Analysis on Taxonomy, challenges, and Opportunities. *Spectrum of engineering sciences*, 3(2), 90-125.
- [69] Hussain, S., Sarwar, N., Ali, A., Khan, H., Din, I., Alqahtani, A. M., ... & Ali, A. (2025). An Enhanced Random Forest (ERF)-based Machine Learning Framework for Resampling, Prediction, and Classification of Mobile Applications using Textual Features. *Engineering, Technology & Applied Science Research*, 15(1), 19776-19781.
- [70] Ahmad, I., Nasim, F., Khawaja, M. F., Naqvi, S. A. A., & Khan, H. (2025). Enhancing IoT Security and Services based on Generative Artificial Intelligence Techniques: A Systematic Analysis based on Emerging Threats, Challenges and future Directions. *Spectrum of engineering sciences*, 3(2), 1-25.
- [71] Khan, H., Imtiaz, M. A., Siddique, H., Rana, M. T. A., Ali, A., Baig, M. Z., ... & Alsaawy, Y. (2025). An Enhanced Task Migration Technique Based on Convolutional Neural Network in Machine Learning Framework.
- [72] Fawy, K. F., Rodriguez-Ortiz, G., Ali, A., Jadeja, Y., Khan, H., Pathak, P. K., ... & Rahman, J. U. (2025). Catalytic exploration metallic and nonmetallic nano-catalysts, properties, role in photoelectrochemistry for sustainable applications. *Reviews in Inorganic Chemistry*, (0).
- [73] Liaqat, M. S., Sharif, N., Ali, A., Khan, H., Ahmed, H. N., & Khan, H. (2024). An Optimal Analysis of Cloud-based Secure Web Applications: A Systematic Exploration based on Emerging Threats, Pitfalls and Countermeasures. *Spectrum of engineering sciences*, 2(5), 427-457.
- [74] Khawar, M. W., Salman, W., Shaheen, S., Shakil, A., Iftikhar, F., & Faisal, K. M. I. (2024). Investigating the most effective AI/ML-based strategies for predictive network maintenance to minimize downtime and enhance service reliability. *Spectrum of Engineering Sciences*, 2(4), 115-132.
- [75] Ahmad, J., Salman, W., Amin, M., Ali, Z., & Shokat, S. (2024). A Survey on Enhanced Approaches for Cyber Security Challenges Based on Deep Fake Technology in Computing Networks. *Spectrum of Engineering Sciences*, 2(4), 133-149.
- [76] Ayub, N., Ejaz, A., Hassan, B., Hussain, M. Z., Nadeem, M., Sabir, L., & Fatima, S. (2025).

An Efficient Machine Learning And Deep Learning Based Deep Packet Security Framework For Detection Of Computing Network Faults In The Iots. Spectrum of Engineering Sciences, 3(5), 659-674.

- [77] Ayub, N., Habib, Z., Bakhet, S., Riaz, S., Rizwan, S. M., Abid, M., ... & Khan, H. (2025). An Optimal Ai & Deep Learning Mechanism For Mitigating Hacking Threat Identification Using Secure Network Infrastructure Based On Linux And Software-Defined Network (Sdn). Spectrum of Engineering Sciences, 3(5), 675-687.
- [78] Zebrack, J. S. et al. Usefulness of high-sensitivity C-Reactive protein in predicting long-term risk of death or acute myocardial infarction in patients with unstable or stable angina pectoris or acute myocardial infarction. Am. J. Cardiol. 89, 145–149 (2002).
- [79] Aslam, I., Tariq, W., Nasim, F., Khan, H., Khawaja, M. F., Ahmad, A., & Nawaz, M. S. (2025). A Robust Hybrid Machine Learning based Implications and Preventions of Social Media Blackmailing and Cyber bullying: A Systematic Approach.
- [80] Ayub, N., Anwer, M. A., Iqbal, A., Rizwan, S. M., Shahbaz, A., Abid, M. H., & Rafi, S. (2025). Enhanced ML Framework based on Artificial Neural Network for countermeasures of Data Protection and Network Vulnerabilities Detection in Industrial Internet of Things. Annual Methodological Archive Research Review, 3(5), 410-431.
- [81] Gordon, T. & Kannel, W. B. Multiple risk functions for predicting coronary heart disease: The concept, accuracy, and application. Am. Heart J. 103, 1031–1039 (1982).
- [82] Ayub, N., Imtiaz, M. A., Ali, E., Alqahtani, A. M., Ali, A., Ashurov, M., ... & Law, F. L. (2025). A Decision Framework for Intra Task Fixed Priority INTEL PXA270 Distributed Architecture for Soft RT-Applications Based on Deep Learning. Engineering, Technology & Applied Science Research, 15(3), 23553-23558.
- [83] Ayub, N., Waheed, A., Ahmad, S., Akbar, M. H. A., Fuzail, M. Z., & Hashmi, A. H. (2025). Strengthening Network Security: An Efficient DL Enabled Data Protection and Privacy Framework for Threat Mitigation and Vulnerabilities Detection in IoT Network. Annual Methodological Archive Research Review, 3(6), 1-25.
- [84] Wilson, P. W. F. et al. Prediction of coronary heart disease using risk factor categories. Circulation 97, 1837–1847 (1998).
- [85] Gordon, T. Diabetes, blood lipids, and the role of obesity in coronary heart disease risk for women. Ann. Intern. Med. 87, 393 (1977).
- [86] Ayub, N., Waheed, A., Ahmad, S., Akbar, M. H. A., Fuzail, M. Z., & Hashmi, A. H. (2025).

Strengthening Network Security: An Efficient DL Enabled Data Protection and Privacy Framework for Threat Mitigation and Vulnerabilities Detection in IoT Network. Annual Methodological Archive Research Review, 3(6), 1-25.

- [87] Waleed, A. Ali, S. Tariq, G. Mustafa, H. Sarwar, S. Saif, I. Uddin, "An Efficient Artificial Intelligence (AI) and Internet of Things (IoT's) Based MEAN Stack Technology Applications", Bulletin of Business and Economics (BBE)., vol. 13, no. 2, pp. 200-206, July. 2024