Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Traditional Herbal Medicine in the Therapeutic Management of Common Human Health Diseases

Muhammad Mudassar
College of Allied Health Professionals, Faculty of Medical Sciences, Government College University Faisalabad, Pakistan
Yashfa Javaid
College of Allied Health Professionals, Government College University, Faisalabad
Rimsha khalid
College of Health Professionals, Government College University, Faisalabad, Pakistan
Saqib Liaqat
Afro Asian Institute Lahore-Pakistan
Urooj Rehman
Jinnah University for Women, Karachi-Pakistan
Sabira Sultana
Department of Eastern Medicine, Government College University, Faisalabad, Pakistan
Syed Muhammad Ali Shah
Department of Eastern Medicine, Government College University, Faisalabad, Pakistan
Rimsha Zainab
Department of Botany, Shaheed Benazir Bhutto Women University, Peshawar, Pakistan
Shafqat Rasool
School of Eastern Medicine, Minhaj University Lahore, Pakistan
Iftikhar Younis Mallhi
School of Human Nutrition and Dietetics, Minhaj University Lahore, Pakistan
Fethi Ahmet Ozdemir
Department of Molecular Biology and Genetics, Faculty of Science and Art, Bingol University, Bingol, 12000, Türkiye
Gawel Solowski
Department of Molecular Biology and Genetics, Faculty of Science and Art, Bingol University, Bingol, 12000, Türkiye
Muhammad Ishaque M.R
Department of Eastern Medicine, University of Sindh, Jamshoro Pakistan
Muhammad Akram*
Department of Eastern Medicine, Government College University Faisalabad Pakistan. Corresponding Author Email: muhammadakram@gcuf.edu.pk

ABSTRACT

Traditional plant-based therapeutics constitutes a medicinal discipline employing botanical materials for curative and prophylactic applications. Such formulations

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

utilize diverse vegetal components—including leaves, blossoms, roots, rhizomes, fruits, stems, and cortical tissues—in both unprocessed and refined states. Bioactive constituents undergo extraction via multiple methodologies encompassing water-based infusions, thermal decoctions, and ambient maceration processes.Statistical evidence indicates that four-fifths of populations across Asian and African regions exhibit strong reliance on plant-derived medicines, demonstrating sustained confidence in botanical safety parameters for therapeutic management and wellness preservation. Industrial nations have experienced remarkable expansion in phytomedicinal adoption throughout recent decades. Congressional action in the United States resulted in the establishing specialized alternative medicine divisions within the National Institute of Healthin 1991.The fundamental merit of plant-based therapeutics resides in their harmonious integration with inherent biological systems, exhibiting broad applicability irrespective of age or gender demographics. These natural compounds augment immune competence through complex modulatory pathways, reinforcing cellular defence mechanisms while conditioning the host organism for disease resistance. This approach prioritizes intrinsic healing potential over external pharmaceutical dependence.

Introduction

Global interest in complementary and alternative therapeutic modalities continues accelerating at unprecedented rates. Plant-based medicine represents the synthesis of traditional healing methodologies practiced by cultural healthcare systems spanning centuries of empirical application. Within resource-limited settings, botanical therapeutics remain fundamental healthcare resources for approximately 70-80% of populations.The World Health Organization has recently characterized herbal medicine as an established therapeutic intervention with documented historical utilization. These natural remedies demonstrate reliable safety profiles for disease management applications with demonstrated clinical efficacy. Medicinal flora and their bioactive constituents have served as invaluable therapeutic resources throughout human civilization. During pre-industrial eras, botanical preparations constituted the sole therapeutic options before synthetic pharmaceutical development.Cardiovascular pathologies, now representing major global health challenges, respond favourably to diverse botanical interventions including *Zingiber*

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

officinale, *Panax* species, *Allium sativum*, *Leonurus cardiaca*, *Ginkgo biloba*, Monascus-fermented rice preparations, and Salvia miltiorrhiza. These interventions demonstrate evidence-based therapeutic effects through complementary and alternative mechanisms. Effective treatments exist specifically for atherosclerotic conditions, where research validates plant-based therapeutics as superior interventions for atherosclerosis management, despite availability of conventional synthetic medications [1, 2]. *Salvia miltiorrhiza* Bungeis a medicinal plant used in many Asian countries for the treatment of atherosclerosis for several years [3]. Botanical therapeutics have gained substantial clinical acceptance for hepatic disorder management, with widespread adoption across diverse patient populations. Plant-derived compounds demonstrate targeted therapeutic mechanisms for specific liver pathologies: silymarin exhibits antifibrotic properties in hepatic stellate cell regulation. In herbalism, almost 88 plants and their related compounds are used for the treatment of tuberculosis. For example, inhalation of extract from Artemisia afra, complete aerial portions of *Myrothamnus flabellifolius*, *Carica papaya* leaf extracts, Zanthoxylum capense root derivatives, and Combretum hereroense seed constituents [4] Phyllanthus amarus demonstrates antiviral efficacy against hepatitis B virus replication, while glycyrrhizin provides anti-inflammatory benefits in chronic hepatitis management through cytokine modulation [5].

Herbal Medicine in the Treatment of Cardiovascular Diseases

Affluent socioeconomic patterns coupled with suboptimal nutritional behaviours constitute primary etiological factors in the development of severe pathological conditions, spanning from infectious diseases to chronic metabolic disorders and systemic complications. Cardiovascular pathologies maintain their position as the predominant cause of global mortality, accounting for 32% of all documented deaths across multiple international healthcare systems. [6]. Cardiovascular disease (CVD) is a broad term encompassing a range of disorders that affect the heart and blood vessels, including angina, atherosclerosis, aortic disease, valvular dysfunction, coronary artery disease, and peripheral arterial disease. Collectively, these conditions represent a major global health burden, accounting for approximately one-third of all deaths each year—far exceeding mortality from most other causes [7] .Multiple risk factors contribute to the onset and progression of cardiovascular

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

disease. These include hypertension, hypercholesterolemia, obesity, smoking, excessive alcohol consumption, diabetes mellitus, poor dietary habits with insufficient intake of fruits and vegetables, sedentary lifestyle, and genetic predisposition. Psychological stress further exacerbates disease outcomes, as it places additional strain on the heart, heightening the risk of cardiac failure in susceptible individuals [8].While conventional pharmacological interventions can manage symptoms and delay progression, they rarely provide a definitive cure and are often associated with adverse side effects. In this context, medicinal plants have drawn considerable interest due to their affordability, accessibility, lower toxicity, and perceived safety. One such plant is bottle gourd (*Lagenaria siceraria*), a member of the family *Cucurbitaceae*, which is traditionally cultivated across warmer regions of the world and is thought to have originated in India. This climbing plant, represented by more than 825 species and 118 genera, possesses a rich phytochemical profile. Its nutritional and medicinal composition provides compounds essential for maintaining cardiovascular health and for supporting general human well-being.Cucurbitacin B (CuB) is a tetracyclic triterpenoid from this plant is major active substance for heart management [9].

Herbal Medicine in the Treatment of Atherosclerosis

Atherosclerotic vascular disease represents a principal contributor to global morbidity and mortality following cardiac pathologies. This condition constitutes chronic inflammatory arteriopathy affecting large elastic and muscular vessels, arising from multiple predisposing pathological states. Contributing risk factors encompass metabolic disorders including diabetes mellitus, dyslipidemia, systemic hypertension, and infectious etiologies. The pathophysiological cascade involves three fundamental mechanisms: vascular inflammation, endothelial barrier compromise, and oxidative modification of low-density lipoprotein particles. The initiating event involves circulating monocyte recruitment and transmigration across damaged or dysfunctional endothelial surfaces into the subintimal compartment, where these cells undergo phenotypic transformation into tissue-resident macrophages [5].

Bioactive chemical constituents derived from medicinal plants modulate many therapeutic targets in controlling and preventing diseases [3]. Herbal therapies

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

have shown promise in the management of blood stasis, a pathological condition closely associated with the development of atherosclerosis. Among the most effective phytoconstituents are isoflavones, primarily derived from the *Leguminosae* family, and polyphenols from the *Lamiaceae* family. Both classes of compounds exhibit strong antioxidant activity, enabling them to inhibit low-density lipoprotein (LDL) oxidation, a key step in atherogenesis. In addition, these phytochemicals provide protective effects on vascular endothelial cells, thereby contributing to the prevention and attenuation of atherosclerotic progression [2].ShexiangBaoxin pills are a traditional multi-component formulation that includes artificial musk, ginseng extract, artificial bezoar, cinnamon, Suhexiang (styrax), toad venom, and borneol, among other constituents. Artificial musk is recognized for its ability to promote blood circulation and alleviate blood stasis, whereas ginseng contributes by replenishing qi and nourishing the blood, thereby supporting and enhancing circulatory function [10].

Liver Diseases Herbal Management

The hepatic system represents the largest endocrine gland within the human anatomy and serves as a crucial metabolic organ responsible for xenobiotic detoxification, synthetic processes including bile acid production essential for lipid digestion, and protein biosynthesis. Hepatic dysfunction constitutes a significant clinical challenge predominantly arising from cellular injury. Hepatocellular damage results from exposure to diverse toxic agents including carbon tetrachloride, thioacetamide derivatives, ethanol consumption, infectious pathogens, and cytotoxic pharmaceutical compounds. Oxidative lipid degradation secondary to chronic alcohol intake precipitates hepatic fibrosis and subsequent cirrhotic transformation. For management of them it is feasible to combine herbal like curcumin, silmarin or glycyrrhizin as a supportive [11] for nanocarriers that enable hydrochlorothiazideto be delivered directly to the liver [13]. The global utilisation of botanical therapeutics continues to expand, with epidemiological data indicating that approximately 25% of patients presenting with hepatic pathologies employ ethnopharmacological interventions. Conventional pharmaceutical approaches for hepatic disorders frequently demonstrate iatrogenic potential, exacerbating existing hepatocellular dysfunction. Consequently, therapeutic strategies utilising bioactive

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

phytochemicals extracted from medicinal flora present viable alternative treatment modalities for hepatic disease management. [14].

Herbal Medicine for the Treatment of Tuberculosis

Tuberculosis is a contagious disease transmitted primarily through airborne droplets released when an infected individual coughs or sneezes, dispersing *Mycobacterium tuberculosis* into the surrounding air. Once inhaled, the bacilli travel to the alveoli of the lungs, where macrophages attempt to eliminate them. Although many bacilli are destroyed, some survive and multiply within macrophages, eventually being released into the bloodstream. From there, they disseminate to lymph nodes and other organs. This systemic spread triggers an immune response in which T lymphocytes activate macrophages, enhancing their bactericidal capacity [15]. However, this process also leads to T-cell–mediated hypersensitivity. In the active phase of the disease, patients remain highly infectious and are more likely to transmit the pathogen to others.Globally; tuberculosis continues to be one of the most challenging infectious diseases to control. Conventional allopathic therapies are complicated by the emergence of drug-resistant strains, which significantly hinder effective management. In contrast, herbal medicine is believed to offer therapeutic alternatives without the same risk of resistance. Phytomedicines, in particular, have shown promise as complementary or supportive options in the treatment of tuberculosiss. [16]. *Drosera capensis* possess plumbagin that is effective and supportive in tuberculosis management can be Tulbaghua violacea while rest like Carpobrotus eduliscan be efficient as nourishment for patients [17].

Herbal Medicine in the Treatment of D.M

Diabetes mellitus constitutes a multifaceted endocrine disorder stemming from pancreatic islet cell impairment or peripheral insulin insensitivity, marked by chronic elevations in circulating glucose concentrations. This pathological condition emerges from compromised pancreatic endocrine function, affecting insulin production and release mechanisms. The insulin hormone serves essential metabolic functions by facilitating tissue glucose utilization from nutritional sources, enhancing hepatic glycogen synthesis, and preserving normal blood sugar parameters.

Progressive disease manifestation without therapeutic intervention presents

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

through characteristic clinical features: excessive urination, increased appetite, and heightened thirst. Principal diagnostic categories include autoimmune-mediated type 1 disease (islet destruction), metabolic type 2 variant (resistance combined with secretory inadequacy), and pregnancy-associated glucose dysregulation [18]. Pro-inflammatory mediators significantly influence disease development, with the type 2 form creating major healthcare burdens through accompanying small-vessel and large-vessel pathologies that elevate patient mortality and disability rates.Increased cytokine levels and acute-phase reactants demonstrate positive associations with diabetic susceptibility. Insulin orchestrates metabolic control across hepatic, fat, and striated muscle compartments through signalling networks that include growth factor-1 mechanisms in arterial smooth muscle cells. Therefore, hormonal insufficiency or cellular receptor dysfunction forms the mechanistic basis underlying all diabetic phenotypes.Ethnobotanical medicine continues to attract significant scientific investigation for treating various medical conditions. Plant-based therapeutic approaches encompass healing strategies that extend beyond standard drug-based treatments or homeostasis of microelements for cover from side effects of some antibody antigen drugs [19] Frequently employed glucose-lowering plants include black seed varieties, succulent aloe preparations, aromatic myrrh resins, Mediterranean fenugreek, and garden cress formulations [20].

A polyherbal preparation C-DM3 from Korean traditional medicine, comprising Trichosanthes root extract, *Coptis rhizome* constituents, Crataegus fruit derivatives, and Cinnamomum bark components, demonstrated inhibitory activity against G protein-coupled receptor kinase 3 (GRK3) enzymatic function [21].

Conclusion

Herbal medicines are widely used in developing countries presenting a vast and intriguing area for research into the effects of medicinal plants in disease treatment. After extensive studies and research, it has been proven that herbal medicine is the most effective approach for managing and controlling various diseases. In Asia, approximately 80% of the population prefers phytomedicine for primary healthcare. In modern pharmacopeia, over 7,000active constituents are listed, which are utilized in various types of medicine.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 9 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Refrences

1. Ferid Muraad, Atta-ur-Rahman, FRS, Ka Bian, "herbal medicine back to future", volume
2. Shiao ming-shi, chiu,jing-jing, chang, bao-wen, wang-jane, jen, wel-ping, wu,ye-jer, chen, yeh-lien, "in search of anti-oxidant and anti-atherosclerotic agents from herbal medicine", volume.34, no. 2, pp.147-157,2008.
3. Jian fang, peter j.little, suowen xu, "atheroprotective effects and molecular targets of Tanshinones derived from herbal medicine Danshen", medicinal research reviews, volume.38, issue.1, pp. 201-228 (2008)
4. Gautam, S., Qureshi, K. A., Jameel Pasha, S. B., Dhanasekaran, S., Aspatwar, A., Parkkila, S., Alanazi, S., Atiya, A., Khan, M. M. U., & Venugopal, D. (2023). Medicinal Plants as Therapeutic Alternatives to Combat *Mycobacterium tuberculosis*: A Comprehensive Review. *Antibiotics*, *12*(3), 541. https://doi.org/10.3390/antibiotics12030541.
5. Libby P . Inflammation in atherosclerosis. *Nature* 2002; **420**: 868–874.Ganie, S.M., Pramanik, P.K.D. & Zhao, Z. Ensemble learning with explainable AI for improved heart disease prediction based on multiple datasets. *Sci Rep* **15**, 13912 (2025). https://doi.org/10.1038/s41598-025-97547-
6. Yu, Y., Jia, T., Lin, X. *et al.* Unveiling causal relationship between white matter tracts and psychiatric disorders. *Commun Biol* **8**, 1221 (2025). https://doi.org/10.1038/s42003-025-08669-6
7. Ma, X. Y., Sun, C. C., Wang, T. Q., Wang, Q., Wang, G. X., Liu, J., & Zhao, D. (2025). A preliminary study on cause-of-death discrimination and the pathological stage identification in acute ischemia heart disease (AIHD) based on plasma lipidomic technique and machine learning algorithms. *International Journal of Legal Medicine*, 1-12.
8. Cao, S., Wang, Y., Tai, Y. *et al.* Cucurbitacin B alleviates DSS-induced experimental colitis by targeting ZNF70 to suppress the NLRP3/STAT3 signaling axis. *Inflammopharmacol* (2025). https://doi.org/10.1007/s10787-025-01898-5
9. Nijat, D., Zhao, Q., Abdurixit, G., He, J., Liu, H., & Li, J. (2025). An Up-to-Date

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Review of Traditional Chinese Medicine in the Treatment of Atherosclerosis: Components, Mechanisms, and Therapeutic Potentials. *Phytotherapy Research*.

10. Patel, J., Roy, H., Chintamaneni, P. K., Patel, R., & Bohara, R. (2025). Advanced strategies in enhancing the hepatoprotective efficacy of natural products: integrating nanotechnology, genomics, and mechanistic insights. *ACS Biomaterials Science & Engineering*, *11*(5), 2528-2549.
11. Murugan, D., Hanson, S., PV, J., Biswas, R., Nair, B. G., Bhuniya, S., & Mishra, N. (2025). The Emerging Role of Phytochemicals in Nanotechnology for Targeting Liver Cancer. In *Liver Cancer and Phytomedicine: Chemoprevention, Chemo Sensitization and Chemotherapy Strategies* (pp. 599-630).
12. Stickle, F. D.schuppan, "Herbal medicine in the treatment of liver diseases", Digestive and liver disease, volume 39, issue 4, page 294-304.
13. T.S Mohamed Saleem, Madhusudhana Chetty, s. Ramkanth, V.S.T. Rajan, K.mahesh Kumar, Guthaman K, "hepatoprotective herbs A Review".
14. Jha, D. K., Kakadiya, R., Sharma, A., Naidu, S., De, D., & Sharma, V. (2025). Assessment and management for latent tuberculosis before advanced therapies for immune-mediated inflammatory diseases: a comprehensive review. *Autoimmunity Reviews*, 103758.
15. John R.S. tabuti, Collins B. kukunda, paul j. waako, "Medicinal plants used by traditional medicine practitioners for the treatment of tuberculosis and related ailments in Uganda", journal of ethnopharmacology, volume 127, issue 1, 8 january 2010, pages 130-136.
16. Mamabolo, M. P., Tembeni, B., SiweNoundou, X., &Mncwangi, N. P. (2025). Selected Medicinal Plants Used in the Treatment and Management of Tuberculosis and Related Symptoms in South Africa. *Pharmaceuticals*, *18*(4), 513. https://doi.org/10.3390/ph18040513
17. Abu Aqel, Y., Alnesf, A., Aigha, I. I., Islam, Z., Kolatkar, P. R., Teo, A., & Abdelalim, E. M. (2024). Glucokinase (GCK) in diabetes: from molecular mechanisms to disease pathogenesis. *Cellular & Molecular Biology Letters*, *29*(1), 120.
18. Yu, H., Fu, L., Zhang, C., Wang, S., Song, J., Zhu, Y., & Wang, F. (2025).

Online ISSN 3007-3197
Print ISSN 3007-3189

Targeting Ferroptosis With Natural Products to Treat Diabetes and Its Complications: Opportunities and Challenges. *Phytotherapy Research*.

19. Randeni, N., Luo, J., & Xu, B. (2025). Unveiling the Molecular Mechanisms of Natural Triterpenoids From Mushrooms Against Type 2 Diabetes: A Critical Review. *Phytotherapy Research*.
20. Norah A. al-Rowais, "Herbal medicine in the treatment of diabetes mellitus", vol.23, pages 1327-1331.Choi, Y. Y., Lyu, C., Zhang, T., Shao, H., Meng, X., Thanh, C. D., ... & Park, Y. K. (2024). The herbal formula C-DM3 improves the changes of diabetes-related biomarkers in high-fat diet-induced obese mice through regulation of the IRS1/PI3K/AKT and AMPK signaling pathways in the liver and pancreas. *Journal of Korean Medicine for Obesity Research*, *24*(1), 25-40.
21. Gao, P., Cao, M., Wang, X., Zhang, H., Chen, X., Song, Z., ... & Zou, Y. (2025). G Protein–Coupled Receptor Kinase 3 Exacerbates Diabetic Heart Injuries Through Direct Phosphorylation of Cannabinoid Receptor 2 in Humans and Mice. *Circulation*.