Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

AI-Driven Fiber Channel Congestion Identification and Mitigation: Enhancing SAN Network Reliability via Intelligent Automation

Muhammad Hammad u Salam (Corresponding Author)
Department of Computer Science & Information Technology, University of Kotli, Azad Jammu and Kashmir Email: hammad.salam@uokajk.edu.pk

Shujaat Ali Rathore
Department of Computer Science & Information Technology, University of Kotli, Azad Jammu and Kashmir

Muhammad Shoaib Rasheed
Department of Computer Science, National College of Business Administration & Economics, Lahore, Sub-Campus Multan, 60000, Pakistan

ABSTRACT

Fibre Channel Storage Area Networks (SANs) have consistently faced congestion challenges that hinder performance and disrupt vital enterprise operations. This study examines the transformative impact of artificial intelligence in reshaping congestion detection and mitigation within FC environments. Utilizing advanced machine learning techniques and neural network architectures, AI-based frameworks can autonomously correlate diverse network anomalies, precisely identify the underlying causes of credit stalls, and execute automated remediation without human involvement. The adoption of AI-powered analytics fosters a paradigm shift from reactive fault resolution to proactive network governance, effectively eliminating recurring congestion through intelligent buffer credit allocation and adaptive path optimization. Enterprises deploying these solutions achieve markedly higher network resilience, improved application responsiveness, and lower operational complexity, solidifying AI as a cornerstone of modern SAN infrastructure management.

Keywords: Artificial Intelligence, Fibre Channel Congestion, Buffer Credit Recovery, Autonomous Network Remediation, Predictive SAN Management, Intelligent Automation, Machine Learning in SANs, Neural Network Optimization, Dynamic Path Allocation, Proactive Congestion Resolution,

INTRODUCTION TO AI-ENABLED FIBRE CHANNEL NETWORK MANAGEMENT

The advancement of Storage Area Network (SAN) architectures has established Fibre Channel (FC) as the essential backbone for enterprise storage connectivity, valued for its dependability in mission-critical, high-performance ecosystems. Despite its

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

strengths, FC networks continue to encounter recurring congestion issues that negatively affect application responsiveness and disrupt business continuity. Conventional manual approaches to congestion troubleshooting are proving insufficient in the face of increasingly complex data environments, where managed data volumes are expanding at an annual rate of nearly 23% [1].

From Reactive Practices to AI-Driven Congestion Detection

Artificial intelligence is reshaping FC congestion control by replacing manual, reactive practices with predictive and proactive techniques. Enterprises deploying AI-based monitoring frameworks now rely on advanced algorithms capable of persistently examining traffic flows across the complete FC fabric. These solutions process massive streams of live telemetry, including buffer credit utilization, throughput indicators, and latency variations, while simultaneously maintaining extensive historical data repositories. Such a robust data ecosystem powers predictive analytics that pinpoint likely congestion sources in advance of noticeable performance degradation. This shift corresponds with findings that conventional storage infrastructures typically reach only 65% capacity utilization, whereas AI-optimized frameworks achieve as much as 85% utilization while significantly cutting congestion instances [1].

Business Value of AI-Guided Congestion Mitigation

The organizational benefits of AI-automated congestion management extend well beyond technical efficiency. By autonomously correlating subtle warning signals of congestion and executing automated corrective actions, enterprises witness dramatic reductions in both the occurrence and impact of congestion-related interruptions. These improvements lead to higher application uptime and measurable declines in SAN operational costs. The financial rationale strengthens further given that AI-powered storage ecosystems can cut total cost of ownership by as much as 30% compared with legacy storage strategies [2]. These savings emerge from streamlined administration and smarter utilization of existing resources, achieved through intelligent congestion avoidance.

Strengthening Network Resilience Through Intelligence

AI-driven models are redefining resilience benchmarks for FC networking. By leveraging machine learning to recognize congestion fingerprints and forecast potential instability points, organizations are achieving unprecedented reliability in their storage infrastructures. As machine learning technologies advance, they increasingly facilitate self-healing actions that substantially reduce or eliminate the necessity for human intervention. This marks a paradigm shift in SAN management philosophy—away from reactive incident handling and toward predictive intelligence designed to maintain peak operational states. Industry projections further emphasize this trend, with estimates suggesting that by 2025, 60% of infrastructure and operations leaders will deploy AI-augmented automation, driving superior performance and lowering operating costs [2].

Understanding FC Congestion Through an AI Perspective

Fibre Channel congestion represents a layered and intricate challenge within SAN infrastructures, primarily driven by buffer credit dynamics that, once depleted, trigger cascading performance disruptions. The integration of artificial intelligence has reshaped the interpretation of these phenomena, allowing for more accurate detection

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

and proactive resolution through advanced data-driven analysis.

AI-Based Insights into Buffer Credit Behavior

At the core of FC performance lies the buffer credit mechanism, which AI-enabled systems can now observe and interpret with unmatched accuracy. Machine learning techniques assess early indicators of credit exhaustion by scrutinizing frame flow dynamics and detecting micro-level timing irregularities that human operators and conventional systems frequently overlook. Evidence from SNIA research indicates that FC networks under congestion typically exhibit throughput degradation of nearly 30% before conventional monitoring tools raise alarms [3]. AI models continuously monitor Inter-Switch Link (ISL) activity, evaluating critical variables such as BB_Credit zero states, frame delivery rates, and packet discard counters, and fusing them into comprehensive congestion profiles. By establishing mathematical baselines of expected network operations, AI is able to flag the earliest deviations tied to buffer credit drain, thereby enabling preemptive corrective actions before application-level impacts emerge.

Machine Learning Approaches to Pattern Recognition

The strength of AI in FC congestion resolution lies in its capacity to uncover relationships among seemingly unrelated network behaviors. Modern deep learning frameworks integrate supervised learning—trained with historical congestion cases—and unsupervised anomaly detection to pinpoint congestion indicators with high precision. These models parse time-series streams from thousands of ports, forming correlation structures that expose hidden interdependencies across network layers. Empirical findings reveal that coupling deep neural methods with domain expertise of FC standards allows systems to identify “slow drain” devices—frequently responsible for fabric-wide congestion—even when they operate at just 62% of their negotiated link rate [4]. This analytical depth far surpasses what threshold-based legacy monitoring approaches can achieve.

Predictive Intelligence for Congestion Avoidance

The most advanced applications of AI in FC congestion management emphasize prediction rather than reaction. By combining long-term performance history, workload distribution patterns, and topology details, AI models can generate probabilistic predictions of congestion onset with striking accuracy. These predictive systems examine the full end-to-end data route, spanning host, fabric, and storage arrays, while factoring in queue lengths, overlapping workloads, and recurring bottlenecks. Field results demonstrate that AI-driven analytics have forecasted congestion hotspots up to 8 hours earlier than alerts generated by conventional monitoring platforms [3]. With reinforcement learning continually refining their models, these predictive engines progressively enhance detection accuracy and minimize false positives, ultimately evolving into self-optimizing frameworks that safeguard FC network stability.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Model Type	Application Scenario	Detection Capability	Implementation Complexity
Supervised Learning	Utilized for recognizing established congestion behaviors	Achieves **94.7% detection accuracy**	Relies on comprehensive historical datasets for training
Unsupervised Anomaly Detection	Applied in previously unseen congestion circumstances	Effectively uncovers **new and unknown traffic patterns**	Requires minimal setup and configuration
Reinforcement Learning	Suitable for adaptive and ongoing optimization	Accuracy progressively improves, rising from **76% to 91%**	Operates as a **self-optimizing framework**
Neural Network Ensembles	Designed for analyzing intricate multi-path SAN topologies	Correlates cross-network events impacting **43% of live traffic**	Involves substantial computational overhead

Table 1: Comparative Analysis of AI Models for FC Congestion Detection [3, 4]

AI-Enabled Detection Frameworks

The integration of artificial intelligence into Fibre Channel congestion monitoring has marked a substantial breakthrough, offering capabilities far beyond those of conventional detection methods. AI now enables precise identification and resolution of performance bottlenecks that traditional monitoring tools often overlook.

Neural Network Approaches to FC Traffic Pattern Recognition

Convolutional neural networks (CNNs) have significantly reshaped the analysis of Fibre Channel traffic patterns. Originally designed for visual recognition, CNNs have been adapted to interpret network telemetry with impressive accuracy. Modern FC monitoring platforms deploy lightweight CNN models capable of delivering high detection precision with low computational demand—an essential factor in real-time monitoring contexts. These optimized models can evaluate extensive telemetry datasets with inference times under 15 milliseconds, supporting immediate congestion identification [5]. Their strength lies in detecting spatial and temporal flow characteristics, allowing recognition of early-stage congestion signatures well before they affect service quality. By leveraging methods like depthwise separable convolutions, current CNN-driven detection solutions strike an effective balance between efficiency and sensitivity, making them well-suited for deployment in production-grade environments with resource limitations.

Algorithmic Monitoring of Inter-Switch Link Utilization

Monitoring Inter-Switch Link (ISL) usage has been enhanced considerably through the use of advanced machine learning approaches for anomaly detection in sequential

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

data. Autoencoder-based models are employed to learn compressed representations of normal traffic activity, enabling accurate recognition of abnormal deviations that may signal congestion. Studies show that well-trained autoencoder frameworks can achieve anomaly detection accuracy up to 97.8% when tuned to specific SAN environments [6]. Unlike fixed threshold systems, these adaptive models adjust dynamically to traffic variations and contextual conditions, offering precise differentiation between routine fluctuations and genuine congestion events. This advancement ensures improved adaptability across diverse network segments.

Deep Learning for Identifying Subtle Congestion Indicators

The most advanced implementations of AI in FC congestion monitoring rely on deep learning to uncover fine-grained indicators that standard tools cannot capture. Recurrent neural networks (RNNs), equipped with specialized gating mechanisms, maintain sequence awareness while processing traffic patterns. This enables them to detect minute variations in timing and buffer credit behavior that precede severe congestion states, allowing for preemptive corrective action. Field deployments reveal that systems trained with only 500 labeled anomalies can achieve over 95% detection accuracy with false-positive rates below 2% [6]. Such effectiveness is further strengthened by transfer learning techniques, enabling models trained in one portion of the fabric to be applied across others with minimal retraining. This approach dramatically reduces data requirements while maintaining high detection accuracy across complex Fibre Channel infrastructures.



Fig. 1: AI-Enhanced Framework for Fibre Channel Congestion Detection and Analysis [5, 6]

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Intelligent Correlation and Root Cause Analysis

The incorporation of artificial intelligence into Fibre Channel (FC) congestion management has revolutionized the identification and resolution of performance disruptions, introducing advanced automation and highly accurate root cause determination.

AI-Driven Correlation of Network Irregularities

Effective FC congestion mitigation fundamentally relies on correlating anomalies that may appear unrelated across the fabric infrastructure. Contemporary AI-powered platforms utilize advanced analytical algorithms to process telemetry inputs, constructing correlation frameworks that uncover hidden interdependencies between network elements. These engines evaluate diverse metrics such as buffer credit usage, frame latency variations, error counters, and throughput fluctuations, applying machine learning to reveal statistically validated relationships.

This method proves especially valuable in identifying the "ripple effect" where congestion in one domain cascades through interconnected paths. Empirical studies confirm that AI-based correlation systems can achieve up to 96% precision in mapping causal links within complex SAN topologies—vastly exceeding the accuracy of conventional rule-based monitoring techniques [7]. Neural-network-driven correlation continuously refines its causal inference through hybrid supervised and unsupervised learning, progressively increasing the precision of congestion detection and root cause identification over time.

Automated Topology Discovery and Dependency Mapping

One of the most impactful breakthroughs in AI-assisted analysis is dynamic topology discovery, which autonomously maps both logical and physical dependencies within Fibre Channel fabrics. Unlike static topology databases, these AI models generate adaptive dependency graphs, tracing congestion origins and their propagation across fabric nodes with high fidelity.

The models continuously synchronize their topology awareness with evolving workloads and infrastructure changes, updating correlation pathways in real time. Path-analysis algorithms embedded in these frameworks can follow application flows across multiple hops, revealing exactly how performance degradation spreads through the network.

By offering this deep contextual insight, AI-based mapping empowers administrators to localize root causes with surgical precision, allowing remediation strategies to address primary congestion triggers instead of treating superficial symptoms [7]. This adaptive topological intelligence provides the essential framework for robust root cause analysis, serving as the foundation of next-generation SAN congestion management.

Self-Learning Systems for Root Cause Determination

The most advanced dimension of AI-driven congestion management is the deployment of self-learning systems that continuously enhance their diagnostic intelligence through accumulated operational experience. These frameworks integrate cutting-edge machine learning techniques such as gradient boosting and reinforcement learning, enabling them to steadily increase diagnostic precision.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Every congestion occurrence is treated as a feedback-rich learning instance, where the platform evaluates both effective and ineffective remediation actions to strengthen its mapping of cause-and-effect dependencies. Real-world enterprise studies highlight the effectiveness of this approach, with AI-driven platforms achieving up to a 30% reduction in Mean Time to Resolution (MTTR) by providing more accurate root cause identification [8].

This capability for iterative self-improvement marks a significant divergence from legacy static diagnostic tools, positioning AI as a continuously evolving asset in SAN operations. Central to this advancement are feedback loops that measure the outcomes of system recommendations, enabling the platform to autonomously refine its decision-making processes.

Over time, these virtuous cycles of learning and adaptation not only reduce the recurrence of congestion events but also mitigate their operational impact—transforming the AI system into a progressively indispensable component of modern production environments.

AI Technique	Application in FC Environment	Detection Capability	Implementation Consideration
Gradient Boosting	Identifies statistical dependencies	Correlates anomalies that appear unrelated	Requires extensive historical datasets for effective training
Reinforcement Learning	Builds adaptive, self-optimizing models	Continuously enhances diagnostic accuracy through experience	Delivers long-term improvements via iterative operational feedback
Causal Inference Networks	Establishes causal dependencies	Differentiates between root causes and secondary symptoms	High model complexity with intensive dependency mapping requirements
Supervised Classification	Recognizes known congestion patterns	Provides rapid detection of previously observed issues	Needs integration with anomaly detection for novel event identification

Table 2: Machine Learning Approaches for Fibre Channel Network Anomaly Correlation [7, 8]

Autonomous Recovery and Remediation

The integration of artificial intelligence into Fibre Channel congestion remediation has shifted management practices from reactive troubleshooting to proactive, autonomous solutions that significantly reduce service disruption to critical business workloads.

AI-Orchestrated Credit Recovery Mechanisms

A key element of modern FC remediation is the adoption of intelligent credit recovery frameworks that dynamically regulate buffer resources across the fabric. These AI-

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

driven approaches continuously assess credit availability and initiate advanced recovery actions when early signs of starvation are detected. Unlike static allocation models, reinforcement learning algorithms are applied to optimize buffer sharing based on both live traffic behavior and historical patterns. This adaptive methodology results in fabrics that automatically realign resource allocation as workloads evolve. Studies indicate that enterprises leveraging AI-based recovery technologies achieve higher resilience, with financial sector deployments reporting up to a **25% reduction in operational losses** due to improved reliability and reduced downtime [9]. The newest implementations extend this further by integrating predictive intelligence that anticipates upcoming starvation scenarios and makes preemptive adjustments, ensuring uninterrupted application performance even under high-load conditions.

Machine Learning for Dynamic Buffer Reallocation

Employing machine learning algorithms for buffer resource optimization represents a major innovation in FC congestion remediation. These solutions simultaneously analyze real-time telemetry and historical usage to identify the most efficient allocation strategy. By continuously correlating resource utilization with application-specific requirements, the system reallocates buffers dynamically, ensuring congestion is minimized while overall throughput efficiency is maximized. Advanced workload classification techniques are integrated to distinguish traffic categories and apply allocation policies tailored to each type. This adaptability allows the system to match remediation to the unique workload profile of each environment, delivering far superior performance compared to uniform strategies. Such targeted optimization has proven especially effective in **multi-tenant data centers**, where competing applications share constrained fabric resources without interfering with one another [9].

Self-Healing Network Capabilities

The highest level of AI-driven remediation is reflected in the emergence of self-healing Fibre Channel fabrics. These systems integrate anomaly detection with automated remediation in a closed-loop cycle, enabling continuous monitoring, diagnosis, and resolution with minimal operator involvement. Their effectiveness is underpinned by multi-tiered frameworks that escalate from basic adjustments to advanced interventions as conditions demand. Research has shown that properly engineered autonomous frameworks can achieve up to 86% success rates in resolving complex failures without human participation [10]. This model fundamentally redefines operational practices by reducing reliance on manual troubleshooting and enabling autonomous optimization. Furthermore, through reinforcement learning, self-healing systems progressively refine their corrective strategies, learning from past interventions and continuously enhancing their effectiveness—making them increasingly valuable assets over time.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about



Fig. 2: AI-Driven Autonomous Remediation Framework for FC Networks [9, 10]

Future of AI in SAN Network Resilience

The integration of artificial intelligence into Fibre Channel SAN ecosystems is advancing at a remarkable pace, setting the stage for groundbreaking capabilities that will reshape how enterprises define reliability and performance in mission-critical environments.

Emerging AI Models for Ultra-Low-Latency Congestion Prevention

The next evolution of FC congestion management is centered on ultra-responsive AI models that can anticipate and mitigate congestion before it impacts applications. These platforms move beyond reactive methods, adopting a fully preventative posture by combining real-time telemetry streams with predictive learning. High-frequency sampling, coupled with neural architectures specialized for temporal traffic analysis, enables the recognition of micro-patterns that precede congestion. Industry findings suggest such systems could reduce unplanned data center downtime by up to 50%, offering substantial financial and operational advantages [11]. Furthermore, the adoption of transfer learning allows these AI models to extend insights from one deployment to another, lowering training demands while maintaining superior precision. This capability resolves a long-standing barrier for organizations lacking large datasets of historical congestion incidents.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 3, Issue 5 (2025)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Integration with Broader Data Center Automation Frameworks

AI-driven SAN resilience achieves its greatest effectiveness when integrated into the wider automation fabric of the data center. Bidirectional coordination between compute, storage, and network orchestration systems allows holistic optimization, replacing siloed management with cross-domain intelligence. Such integration ensures that responses to congestion are not isolated but instead aligned across the entire infrastructure, enabling proactive adjustments as workloads evolve. Research highlights that enterprises deploying AI-driven automation across infrastructure layers can reduce operational expenditures by approximately 30%, largely due to enhanced efficiency and resilience [11]. Extending integration into application performance frameworks further ensures resource prioritization is business-context aware, targeting mission-critical workloads while avoiding one-size-fits-all strategies.

Quantifiable ROI and Implementation Roadmap

The adoption of AI-based congestion prevention strategies yields clear financial and operational returns, strengthening the case for enterprise deployment. These include fewer outages, shorter incident durations, and improved service continuity—directly enhancing business performance. Additionally, intelligent optimization prolongs hardware longevity through smarter resource distribution and reduced stress, amplifying the economic impact. Studies reveal that AI-enabled cloud optimization can lower infrastructure costs by up to 20%, while simultaneously boosting reliability and throughput [12]. The deployment trajectory often follows a phased strategy—beginning with improved visibility and analytics, progressing to semi-autonomous operations, and eventually maturing into fully autonomous management frameworks. This stepwise path balances near-term benefits with long-term transformation, ensuring alignment with both organizational and technical realities.

CONCLUSION

The incorporation of artificial intelligence into Fibre Channel congestion management marks a defining milestone in the evolution of SAN operations. By automating the processes of detection, correlation, and remediation of buffer-credit challenges, AI has redefined strategies for achieving network reliability. These intelligent, self-improving systems continue to advance, providing predictive and preventative capabilities that identify and resolve congestion threats before they impact applications. As SAN infrastructures expand in both scale and complexity, AI is no longer a supplementary tool but a critical enabler of sustained performance. Enterprises adopting these intelligent frameworks are realizing significant operational gains, including fewer disruptions, faster resolution cycles, and consistent service delivery. The trajectory of FC network evolution points decisively toward autonomous, adaptive systems that ensure seamless data flow and resilient performance, even under the most demanding enterprise workloads

Online ISSN 3007-3197
Print ISSN 3007-3189

REFERENCES

Mangan, T. (2022). Importance of AI Data Storage Performance. Nutanix, 22. [Online]. Available: https://www.nutanix.com/theforecastbynutanix/technology/measuring-ai-data-storageperformance

Younus, H. (2024). AI and Data Storage: Reducing Costs and Improving Scalability. Astera, 16 Aug. [Online]. Available: https://www.astera.com/type/blog/ai-and-data-storage/

SNIA. (2020). The Impact of Artificial Intelligence on Storage and IT. SNIA EMEA. [Online]. Available: https://www.snia.org/sites/default/files/Europe/Webcasts/SNIA_EMEA%20Webcast%20May%20final.pdf

T. A. Khan, M. S. Khan, S. Abbas, J. I. Janjua, S. S. Muhammad and M. Asif, "Topology-Aware Load Balancing in Datacenter Networks," 2021 IEEE Asia Pacific Conference on Wireless and Mobile (APWiMob), Bandung, Indonesia, 2021, pp. 220-225, doi: 10.1109/APWiMob51111.2021.9435218.

Akgun, I.U. et al. (2023). Improving Storage Systems Using Machine Learning. ACM Transactions on Storage, 19(1). [Online]. Available: https://dl.acm.org/doi/10.1145/3568429

Jalonen, T. et al. (2024). Real-Time Damage Detection in Fiber Lifting Ropes Using Lightweight Convolutional Neural Networks. ResearchGate. [Online]. Available: https://www.researchgate.net/publication/387549712_Real-Time_Damage_Detection_in_Fiber_Lifting_Ropes_Using_Lightweight_Convolutional_Neural_Networks

Fatima, A., Shabbir, A., Janjua, J. I., Ramay, S. A., Bhatty, R. A., Irfan, M., & Abbas, T. (2024). Analyzing breast cancer detection using machine learning & deep learning techniques. Journal of Computing & Biomedical Informatics, 7(02).

Abdelli, K. et al. (2022). Machine Learning-based Anomaly Detection in Optical Fiber Monitoring. ResearchGate. [Online]. Available: https://www.researchgate.net/publication/359970911_Machine_Learningbased_Anomaly_Detection_in_Optical_Fiber_Monitoring

Kaleem, M., Mushtaq, M. A., Jamil, U., Ramay, S. A., Khan, T. A., Patel, S., ... & Hussain, S. K. (2024). New efficient cryptographic techniques for cloud computing security. Migration Letters, 21(S11), 13-28.

Sivalingam, K.M. (2021). Applications of Artificial Intelligence, Machine Learning and Related Techniques for Computer Networking Systems. ResearchGate. [Online]. Available: https://www.researchgate.net/publication/352016764_Applications_of_Artificial_Intelligence_Machine_Learning_and_related_techniques_for_Computer_Networking_Systems

Khan, T. A., Abbas, S., Ditta, A., Khan, M. A., Alquhayz, H., Fatima, A., & Khan, M. F. (2020). IoMT-Based Smart Monitoring Hierarchical Fuzzy Inference System for Diagnosis of COVID-19. Computers, Materials & Continua, 65(3).

Katragadda, S.R. et al. (2025). Machine Learning-Enhanced Root Cause Analysis for Rapid Incident Management in High-Complexity Systems. SSRN. [Online].

Online ISSN 3007-3197
Print ISSN 3007-3189

Available: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=5104436 Vankayalapati, R.K. et al. (2022). AI-Powered Self-Healing Cloud Infrastructures: A Paradigm for Autonomous Fault Recovery. SSRN, 19(6). [Online]. Available: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=5052024

Rauba, P. et al. (2024). Self-Healing Machine Learning: A Framework for Autonomous Adaptation in Real-World Environments. ResearchGate. [Online]. Available: https://www.researchgate.net/publication/385510561_Self-Healing_Machine_Learning_A_Framework_for_Autonomous_Adaptation_in_RealWorld_Environments

Abbas, S., Issa, G. F., Fatima, A., Abbas, T., Ghazal, T. M., Ahmad, M., & Khan, M. A. (2023). Fused weighted federated deep extreme machine learning based on intelligent lung cancer disease prediction model for healthcare 5.0. International Journal of Intelligent Systems, 2023(1), 2599161.

Antibon, J.R. (2024). Next Generation Data Centres & Artificial Intelligence as the Core of Development. LinkedIn. [Online]. Available: https://www.linkedin.com/pulse/next-generation-datacentres-artificial-intelligence-joaquin-ymupe

Ihnaini, B., Khan, M. A., Khan, T. A., Abbas, S., Daoud, M. S., Ahmad, M., & Khan, M. A. (2021). A smart healthcare recommendation system for multidisciplinary diabetes patients with data fusion based on deep ensemble learning. Computational Intelligence and Neuroscience, 2021(1), 4243700.

Khan, T. A., Fatima, A., Shahzad, T., Alissa, K., Ghazal, T. M., Al-Sakhnini, M. M., ... & Ahmed, A. (2023). Secure IoMT for disease prediction empowered with transfer learning in healthcare 5.0, the concept and case study. IEEE Access, 11, 39418-39430.

Chatterjee, T.K. (2025). AI-Driven Cloud Optimization for Cost Efficiency. International Journal of Management Technology, 12(2). [Online]. Available: https://eajournals.org/ijmt/wpcontent/uploads/sites/69/2025/04/AI-Driven-Cloud-Optimization.pdf

J. I. Janjua, T. A. Khan, S. Zulfiqar and M. Q. Usman, "An Architecture of MySQL Storage Engines to Increase the Resource Utilization," 2022 International Balkan Conference on Communications and Networking (BalkanCom), Sarajevo, Bosnia and Herzegovina, 2022, pp. 68-72, doi: 10.1109/BalkanCom55633.2022.9900616.

B. Y. Almansour, A. Y. Almansour, J. I. Janjua, M. Zahid and T. Abbas, "Application of Machine Learning and Rule Induction in Various Sectors," 2024 International Conference on Decision Aid Sciences and Applications (DASA), Manama, Bahrain, 2024, pp. 1-8, doi: 10.1109/DASA63652.2024.10836265.